

INDEX

- ALLOY LISTING 43
ALLOY SPECIFICATIONS 45
ALLOYED CAST IRON 40
ALUMINUM IN STAINLESS STEEL 19
ALUMINUM IN STEEL 2, 6
ANTIMONY IN STEEL 5
ARSENIC IN STEEL 5
- BISMUTH STEEL 5, 8
BORON IN STAINLESS STEEL 19
BORON IN STEEL 2
- CALCIUM IN STAINLESS STEEL 19
CALCIUM IN STEEL 6
CARBON STEEL 2, 3
CARBON STEEL SPECIFICATIONS 45
CAST IRON 32, 33, 34, 35, 37, 38, 39, 40, 41, 42
CAST IRON WITH MAGNESIUM 34, 35, 36
COBALT ALLOY 9
COBALT IN STAINLESS STEEL 21
COPPER IN STAINLESS STEEL 20
Cr-Mo STEEL 6, 7
- DUCTILE IRON 33
- EPMA SETS 6
- GRAY IRON 33
- HIGH ALLOY STEEL 31, 32
HIGH ALLOY STEEL SPECIFICATIONS 48
HIGH CHROMIUM CAST IRON 40
- IRON 2
- LEADED STEEL 8
LOW ALLOY STEEL
5, 6, 7, 8, 9, 10, 11, 12, 14, 15, 16
LOW ALLOY STEEL SPECIFICATIONS 46
LOW ALLOY STEEL WITH $0.13\% < C < 0.3\%$ 14
LOW ALLOY STEEL WITH $C < 0.13\%$ 15
LOW ALLOY STEEL WITH $C > 0.3\%$ 11, 12
LOW ALLOY STEEL WITH EXTENSIVE ANALYSIS 13
- MAGNETIC ALLOY 9
MANGANESE STAINLESS STEEL 22
MANGANESE STEEL 8
MARAGING STEEL 21
- NICKEL BINARY 22
NITROGEN IN STEEL 6
NODULAR IRON 33
- PERMENDUR 2V 9
PHOSPHORUS IN STAINLESS STEEL 23
- RESULFURIZED STAINLESS STEEL 23
RESULFURIZED STEEL 9
RESULFURIZED STEEL SPECIFICATIONS 45
- SELENIUM IN STAINLESS STEEL 23
SELENIUM STEEL 5
SET 2, 6, 8, 9, 16, 30, 32
Si-Mo CAST IRON 33
SILICON STEEL 10
SOLUBLE ALUMINUM 2
SOLUBLE BORON 2
STAINLESS STEEL
19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31
STAINLESS STEEL SPECIFICATIONS 48
STAINLESS STEEL WITH $C < 0.05\%$ 28, 29
STAINLESS STEEL WITH $C > 0.05\%$ 26, 27
STAINLESS STEEL WITH $NI < 5.0\%$ 24, 25
SULFUR IN STAINLESS STEEL 23
- TOOL STEEL 16, 17, 18
TOOL STEEL SPECIFICATIONS 47
TUNGSTEN IN STAINLESS STEEL 21
- WHITE IRON 36
- XRF 2, 6, 8, 9, 16, 30, 32

PURE IRON

= class, where 1 = CRM and 2 = RM

T = total

#	Number	C	Mn	P	S	Si	Cu	Ni	Cr	Mo	Al	Co	N	O
1	SRM 1265a	0.0067	0.0057	0.0011	0.0055	0.008	0.0058	0.041	0.007	0.0050	(0.0007)	0.007	.	.
1	BS 50F	0.0064	0.082	0.0066	0.0031	0.016	0.0088	0.016	0.022	0.0017	0.003	0.0023	0.0042	(0.0026)
2	CZ LA-0A	(0.006)	0.045	0.005	0.005	0.0015	0.012	0.028	0.022	(0.0044)	0.0015	0.002	0.0023	.
1	VS RG31	0.0035	0.0010	0.0015	.	0.009	0.010	0.0046	0.0016	0.0003	.	0.0007	.	.
1	IARM 27G	(0.003)	(0.003)	(0.003)	0.0011	(0.07)	0.040	0.045	0.043	(0.002)	(0.0013)	(0.0009)	(0.0003)	0.025
2	TL 1669 *	0.00226	0.0955	0.0137	0.0100	0.0093	0.0217	0.0160	0.0246	0.0011	0.03553T	0.0019	0.0024	.
2	TH 1045D	0.0023	.	.	0.0043	0.0046	.
1	VS RG24/1	0.0022	0.015	0.0027	0.0069	0.017	0.011	0.037	0.037	0.0013	.	0.012	.	.
1	BS LC-6	0.0020	0.469	0.0007	0.0009	0.050	0.0003	0.0057	0.0023	(0.0006)	0.034	0.0021	0.0003	0.0007
1	SRM 1768	0.0010	0.0014	0.0013	0.0003	.	0.0006	0.0014	.	.	0.0024	0.0025	0.002	0.036
1	ECRM 098-1D	0.00051	0.00008	(0.00006)	0.00031	0.00048	.	.	0.00571	0.00085	.	.	0.00024	.
1	ECRM 097-1D	(<0.002)	0.0064	0.0016	0.0022	(<0.01)	0.0020	0.0025	0.0016	(<0.001)	.	0.0037	0.0007	.
1	ECRM 097-2D	.	0.012	0.00538	0.00181	0.00285	0.00793	0.0241	0.0213	0.00370	.	0.0139	0.00294	.

Number	As	B	Mg	Nb	Pb	Sn	Ti	V	W	Units
SRM 1265a	(0.0002)	0.00013	.	.	0.00001	.	(0.0001)	0.0006	.	disc 32 mm Ø x 19 mm
BS 50F	0.0013	(<0.0002)	(<0.0001)	(<0.0002)	(<0.0003)	0.0010	0.0004	(0.0003)	(<0.0050)	disc 35 mm Ø x -7 mm 17025
CZ LA-0A	(0.0015)	.	.	Sb:(0.0007)	(0.001)	(0.001)	0.001	.	.	disc -37 mm Ø x 25 mm
VS RG31	disc -45 mm Ø x -28mm
IARM 27G	(0.0016)	(0.0006)	(0.0002)	(0.002)	(0.002)	(0.001)	<0.005	(0.001)	<0.005	disc 31 mm Ø X 2 or 18 mm
TL 1669 *	0.0017	0.00038	.	0.00046	0.00013	0.0071	0.0504	(0.0006)	.	disc 38 mm Ø x 25 mm
TH 1045D	disc 40 mm Ø x 40 mm
VS RG24/1	0.0010	.	.	disc -45 mm Ø x -28mm
BS LC-6	(<0.0020)	(0.0004)	(0.00003)	(<0.0010)	(<0.0020)	(<0.0020)	0.0006	(<0.0010)	last	disc 39 mm Ø x -7,-12, or 19mm 17025
SRM 1768	disc 31 mm Ø x 19 mm
ECRM 098-1D	disc 35 mm Ø x 25 mm
ECRM 097-1D	0.00051	0.0003	.	.	.	(<0.0025)	.	(<0.001)	.	disc 38 mm Ø x 3, 25, or 30 mm
ECRM 097-2D	0.00281	0.00012	Sb:0.00012	Ta:0.00015	Zn:0.00014	0.00043	.	0.00011	0.00386	disc 38 mm Ø x 25 or 30 mm

* TL-1669 also contains in ppm Ca: 1.7, Sb: 4.9, Zn: 2.7

RM CARBON STEEL XRF SET

Part Number: BS CS-10

AVAILABLE INDIVIDUALLY

17025

~7 mm discs

Grade	Number	C	Mn	P	S	Si	Cu	Ni	Cr	Mo	Al	As	Co	N	Sn	V
Pure Iron	BS 50F	0.0064	0.082	0.0066	0.0031	0.016	0.0088	0.016	0.022	0.0017	0.003	0.0013	0.0023	0.0042	0.0010	(0.0003)
1008	BS XAAS	0.041	0.430	0.007	0.010	0.045	0.015	0.023	0.020	0.007	0.006	0.005	0.004	0.0037	<0.002	<0.005
1018	BS 2931	0.202	0.75	0.012	0.025	0.23	0.23	0.106	0.154	0.019	0.002	0.007	0.009	0.0119	0.010	0.002
1020	BS 57F	0.196	0.554	0.009	0.027	0.202	0.197	0.070	0.120	0.018	(0.002)	(0.006)	0.007	0.0077	0.008	0.063
1026	BS 4932	0.234	0.76	0.010	0.015	0.25	0.15	0.080	0.144	0.033	(0.001)	(0.005)	0.005	0.0080	0.008	0.060
1035	BS 4931	0.352	0.80	0.011	0.016	0.27	0.217	0.070	0.093	0.024	(0.001)	0.005	0.006	0.0080	0.009	0.058
1040	BS 3941	0.407	0.802	0.016	0.023	0.257	0.053	0.018	0.069	0.0061	0.0019	0.0036	0.0042	0.0069	0.0019	0.0025
1045	BS 56E	0.483	0.72	0.010	0.025	0.24	0.015	0.015	0.021	0.005	0.062	0.0035	0.005	0.0056	(0.0006)	(<0.002)
1095	BS 64C	0.920	0.22	0.015	0.0024	0.22	0.016	0.038	0.261	0.008	(0.005)	.	0.004	0.0084	(0.001)	0.005
1522 (LF2)	BS 2932	0.208	1.20	0.008	0.020	0.186	0.060	0.034	0.077	0.026	0.022	(0.003)	0.004	0.0080	0.005	0.001

CRM CARBON STEEL SET

AVAILABLE IN SET/6 ONLY

38 mm Ø x 30 mm

Number	C	Mn	P	S	Si	Cu	Ni	Cr	Al	Al.Sol	Ti	Ti.Sol	V
NCS HS11719-5	1.19	2.20	0.011	0.013	0.751	0.046	0.164	0.439	0.036	0.034	0.029	0.028	0.0082
NCS HS11719-1	0.963	0.586	0.022	0.010	0.241	0.111	0.206	0.131	0.019	0.017	0.016	0.015	0.035
NCS HS11719-3	0.435	1.14	0.045	0.020	0.163	0.160	0.114	0.086	0.019	0.016	0.024	0.023	0.099
NCS HS11719-4	0.140	1.30	0.084	0.020	0.526	0.276	0.344	0.198	0.160	0.155	0.132	0.128	0.153
NCS HS11719-2	0.042	0.048	0.105	0.0053	0.154	0.411	0.432	0.247	0.296	0.292	0.161	0.154	0.207
NCS HS11719-6	0.0060	0.163	0.0053	0.035	0.014	0.0032	0.013	0.021	0.0021	0.0016	0.0010	(0.0008)	0.363

CRM SOLUBLE ALUMINUM AND SOLUBLE BORON STEEL SET

available in set/6 only as grouped .T = total .S = soluble

37 mm Ø x 30 mm

Number	Al.T	Al.S	B.T	B.S	C	Mn	P	S	Si	Cu	Ni	Cr	Co	Mo
NCS HS93703-1	0.387	0.381	0.025	0.023	1.08	2.35	0.0057	(0.008)	0.681	0.048	0.028	3.98	0.0047	0.0077
NCS HS93703-2	0.92	0.91	0.0083	0.0080	0.055	0.021	0.027	0.0033	0.827	0.422	1.09	3.09	0.262	1.56
NCS HS93703-3	0.107	0.103	0.0041	0.0037	0.792	1.34	0.013	0.038	1.09	0.532	0.533	2.11	0.488	0.397
NCS HS93703-4	0.083	0.078	0.0050	0.0048	0.475	0.612	0.015	0.015	2.57	0.687	2.01	1.31	0.403	0.977
NCS HS93703-5	(1.29)	(1.27)	0.0017	0.0015	0.651	1.53	0.036	0.0052	0.024	0.236	2.98	0.021	0.094	0.631
NCS HS93703-6	0.64	0.63	0.0033	0.0030	0.246	0.211	0.045	0.0058	0.274	0.092	3.83	0.505	0.145	0.203

Number	As	Bi	Ca	Nb	Pb	Sb	Sn	Ti	V	W	Zr
NCS HS93703-1	0.032	0.0011	0.0009	0.351	0.0016	(0.0001)	0.014	0.473	0.0090	0.293	0.0031
NCS HS93703-2	0.0034	0.0006	0.0010	0.254	0.0008	0.0020	0.0069	0.346	0.376	1.97	0.087
NCS HS93703-3	0.0019	0.0004	0.0010	0.506	0.0007	0.0040	0.054	0.016	0.071	0.755	0.014
NCS HS93703-4	0.056	(0.0002)	(0.0001)	0.167	0.0006	0.0095	0.012	0.035	0.709	1.48	0.069
NCS HS93703-5	0.0064	0.0015	0.0007	0.0057	0.0007	0.010	0.015	0.111	0.231	0.050	0.41
NCS HS93703-6	0.011	(0.0002)	(0.0001)	0.070	0.0011	0.0006	0.017	0.246	0.526	1.04	0.22

CARBON STEEL

CONTINUED ON THE NEXT PAGE

= Class, where 1 = CRM and 2 = RM

#	Number	C	Mn	P	S	Si	Cu	Ni	Cr	Al	Als	As	B	Ca	Co	Mo
1	IRSID 1660	1.20	0.280	0.014	0.010	0.173	0.059	0.072	(0.026)	(0.009)
1	ECRM 090-1D	1.05	0.226	0.013	0.0095	0.281	.	0.053	0.121	0.009
1	SRM 1227	0.97	0.402	0.014	0.026	0.215	0.006	0.007	0.019	0.003	0.003
1	SS 602/2	0.94	0.66	0.023	0.031	0.057	(0.06)	(0.02)	(0.03)	0.096	(0.007)	(0.004)
2	BS 64C	0.920	0.22	0.015	0.0024	0.22	0.016	0.038	0.261	(0.005)	0.004	0.008
2	HRT FE2014-N	0.91	1.97	0.012	(0.004)	0.24	0.01	0.02	0.35	0.016	0.01
1	ECRM 056-2D	0.8181	0.5073	0.0103	0.0093	0.2006	0.0129	0.0218	0.0146	.	0.00024
1	SRM 1224	0.75	0.41	0.009	0.039	0.173	0.072	0.054	0.071	0.060	0.013
1	BS 54H *	0.74	0.82	0.003	0.005	0.52	0.047	0.36	0.37	<0.5	.	<0.05	<0.005	0.0001	0.003	0.01
1	VS RG28	0.70	0.84	0.031	.	1.161	0.050	0.154	0.135	0.066	0.090
1	VS RG28/1	0.68	0.91	0.031	0.0071	2.36	0.040	0.168	0.194	0.068	0.072	0.104
1	IARM 373A	0.63	0.70	0.0123	0.031	0.22	0.107	0.048	0.096	0.002	.	0.0046	0.0003	0.0005	0.005	0.0176
1	VS UG20/6	0.58	0.473	(0.008)	(0.02)	0.229	0.249	0.360	0.396
1	NM 3405/01	0.77	0.80	0.037	0.048	0.19	.	0.031	0.081
1	SS 435/1	0.52	0.41	0.033	0.031	0.54	.	0.060	0.14
1	SS 435/2	0.49	0.39	0.04	0.042	0.32	0.015	0.13	0.18	0.011	.
2	BS 56E	0.483	0.72	0.010	0.025	0.24	0.135	0.015	0.021	0.062	.	0.0035	.	(<0.0005)	0.005	0.005
1	IRSID 1636	0.47	0.78	0.029	0.037	0.40	0.040	0.092	(0.060)	(0.007)
1	SS 459/2	0.467	0.909	0.0482	0.0481	0.640	0.299	0.154	0.098	0.015	(0.013)	.	0.0110	.	0.0890	.
1	BS 56H	0.457	0.772	0.0096	0.0234	0.210	.	.	.	0.0009	.	0.0056	0.0002	0.0012	0.0078	0.0419
1	IARM 200D	0.453	0.749	0.0103	0.024	0.225	0.232	0.097	0.109	(0.004)	.	0.0050	.	.	0.007	0.0217
1	VS UG123	0.45	0.552	0.016	0.026	0.216	0.196	0.084	0.111	0.024
1	IRSID 1657	0.445	0.724	0.028	(0.013)	0.274	.	0.048	(0.022)	0.004	.	0.0051	.	.	.	(0.008)
1	IRSID 1648	0.432	1.41	0.031	(0.070)	0.242	0.408	0.165	0.170	(0.004)	.	(0.038)	.	.	.	(0.028)
1	12X 10400A	0.420	0.754	0.0137	0.0305	0.220	0.140	0.0631	0.139	0.0323	.	0.0068	.	.	.	0.0169
1	NM EN-8	0.42	0.82	0.02	0.02	0.21
1	IRSID 1642	0.418	0.929	0.031	(0.031)	0.388	0.097	0.068	(0.035)	(0.020)	.	(0.042)	.	.	.	(0.009)
1	IRSID 1647	0.418	0.701	0.019	(0.027)	0.299	(0.104)	0.093	0.490	(0.060)	(0.0555)
1	IRSID 1646	0.414	0.701	0.020	0.027	0.293	0.104	0.093	0.493	0.056
1	IARM 210D	0.412	0.703	0.0052	0.030	0.230	0.273	0.122	0.096	(0.002)	.	0.0059	0.0004	0.0009	0.007	0.034
1	SS 434/1	0.41	1.49	0.050	0.027	0.31	.	0.044	0.055
1	IARM 349A	0.41	1.49	0.011	0.025	0.192	0.300	0.178	0.189	0.020	.	0.005	0.0003	0.0015	0.0085	0.059
1	BS 394I	0.407	0.802	0.016	0.023	0.257	0.053	0.018	0.069	0.019	.	0.0036	(0.0001)	0.0011	0.0042	0.061
1	IRSID 1652	0.406	0.931	(0.017)	0.040	0.386	0.345	0.190	0.184	.	(0.0013)	0.038	.	.	.	(0.042)
1	IRSID 1637	0.401	0.940	0.030	0.030	0.378	0.097	0.068	(0.033)	0.022	.	0.042	.	.	.	(0.006)
1	SS 605/2	0.400	0.345	0.054	0.015	0.54	(0.06)	(0.05)	(0.06)	0.027	(0.008)	(0.01)
1	IRSID 1644	0.394	0.594	0.021	0.031	0.287	0.265	0.158	0.138	(0.017)
1	ECRM 084-1D	0.391	0.890	0.029	0.025	0.267	0.267	0.154	0.241	0.033
1	IRSID 1645	0.388	0.610	0.021	0.030	0.286	0.261	0.157	0.140	0.015	(0.0124)
1	IRSID 1649	0.384	0.930	0.045	(0.047)	0.250	0.418	0.226	0.321	0.004	.	0.037	.	.	.	0.043
1	SS 460/2	0.383	0.616	0.0374	0.0099	0.126	.	.	.	0.024	(0.019)	.	0.0027	.	0.0106	.
1	VS RG30	0.38	0.357	.	0.013	0.45	0.161	0.62	3.06	0.50	0.62
1	BS 1035	0.362	0.758	0.0100	0.028	0.246	0.241	0.123	0.151	0.0008	.	0.0051	(0.0002)	0.0017	0.0073	0.049
1	IRSID 1655	0.355	1.018	(0.018)	(0.060)	0.443	0.415	0.188	0.157	(0.004)	.	(0.036)	.	.	.	(0.043)
1	IRSID 1663	0.353	0.967	0.0090	0.034	0.235	0.180	0.148	0.206	0.037	.	0.028	.	.	.	0.042
1	VS UG90	0.34	0.286	0.0079	0.012	0.221	0.200	0.265	0.261	0.037	0.032	0.0044	.	.	.	0.046
1	VS UG19/6	0.34	0.274	(0.03)	(0.03)	0.136	0.148	0.262	0.227
1	IARM 360A	0.331	0.733	0.008	0.023	0.260	0.235	0.078	0.113	0.0016	.	0.0060	0.0004	0.0017	0.0067	0.024
1	BS 1030	0.331	0.682	0.0101	0.0299	0.261	0.269	0.078	0.124	0.0014	.	0.0055	0.0003	0.0012	0.0069	0.0182
1	IARM 209D	0.322	0.68	0.0084	0.021	0.268	0.243	0.079	0.137	(0.003)	.	0.0060	0.0002	0.002	0.007	0.037
#	Number	C	Mn	P	S	Si	Cu	Ni	Cr	Al	Als	As	B	Ca	Co	Mo
1	IRSID 1653	0.312	0.962	0.034	(0.039)	0.400	0.453	0.218	0.358	<0.004	.	(0.039)	.	.	.	(0.038)
1	VS RG27	0.30	0.97	0.054	(0.032)	0.42	0.188	0.135	1.53	0.88	0.071	0.222
1	IRSID 1654	0.270	0.979	0.036	(0.047)	0.354	0.441	0.241	0.328	.	.	0.040	.	.	.	(0.043)
1	SS 434/2	0.27	1.41	0.024	0.014	0.27	0.186	0.068	0.121	0.002
1	IARM 359A	0.267	0.686	0.0094	0.020	0.233	0.186	0.068	0.121	0.002	.	0.0073	0.0003	0.0013	0.0069	0.023
1	BS 1026	0.260	0.715	0.0171	0.0191	0.268	0.247	0.096	0.163	0.0330	.	0.0100	(0.0002)	0.0017	0.0072	0.0289
1	VS UG94	0.26	0.186	0.0037	0.0026	0.101	0.088	0.178	0.206	0.017	0.0005
1	VS UG18/6	0.242	0.213	(0.003)	(0.003)	0.20	0.063	0.273	0.237
2	HRT FE2016-N	0.23	0.85	0.015	0.011	0.32	0.02	0.15	0.21	0.033
1	BS 1020	0.210	0.568	0.0058	0.0249	0.250	0.184	0.059	0.109	0.0006	.	0.0074	(0.0001)	0.0022	0.0070	0.018
1	IARM 213C	0.201	0.922	0.007	0.025	0.25	0.149	0.068	0.099	0.0019	.	0.0058	0.0003	0.0014	0.0074	0.022
1	IRSID 1664	0.2008	0.472	0.0106	0.0259	0.0616	0.0820	0.0547	0.0707	.	0.0193	0.0115	(0.0002)	(0.0005)	(0.0084)	0.0157
1	VS RG25/1	0.196	0.29	0.019	0.0088	0.100	0.065	0.037	0.060	0.067	0.012	0.010
1	BS 1018	0.195	0.79	0.012	0.024	0.237	0.130	0.104	0.177	0.029	.	0.0041	(0.0002)	(0.0004)	0.0058	0.044
1	BS 1022	0.176	1.05	0.007	0.0067	0.209	0.318	0.115	0.138	0.0287	.	0.0052	(0.0002)	0.0010	0.0071	0.0382
1	IARM 28K	0.174	0.80	0.012	0.027	0.291	0.171	0.0638	0.107	(0.0025)	.	(0.005)	0.0005	.	0.0060	0.0210
1	BS 1016	0.172	0.77	0.011	0.030	0.193	0.153	0.107	0.091	0.0200	.	0.0066	(0.0003)	(0.0004)	0.0193	0.040
1	12X 10180C	0.171	0.803	0.0150	0.0200	0.147	0.0500	0.0284	0.0793	0.0198	.	0.0029	.	.	.	0.0047
1	NM 3404.01	0.17	0.66	0.025	0.021	0.19	.	0.007	0.010
1	12X 10180B	0.169	0.722	0.0101	0.0056	0.114	0.0544	0.0333	0.0451	0.043	.	0.0059	.	.	.	0.0062
2	TL 1000	0.1692	1.4281	0.0142	0.0164	0.2258	0.0120	0.0312	0.0635	0.0226	.	(0.0016)	0.00018	0.00039	0.0042	0.0076
1	VS RG25	0.167	0.41	0.019	0.032	0.384	0.020	0.015	0.035	0.039	0.0028
1	VS UG124	0.165	0.141	0.019	0.032	0.384	0.020	0.015	0.035	0.039
1	VS UG109	0.161	0.353	0.020	0.0037	0.151	0.082	0.0053	0.048	0.0093
1	BS 2931B	0.159	0.788	0.0108	0.0292	0.207	0.098	0.083	0.080	0.0191	.	0.0033	0.0002	0.0002	0.0056	0.0329
1	IARM 213D	0.158	0.725	0.0120	0.031	0.226	0.207	0.076	0.093	(0.003)	.	(0.006)	(0.0004)	.	0.009	0.0131
1	SS 456/2	0.112	0.220	0.0212	0.0221	0.297	0.059	0.040	0.067	0.017	(0.0013)	0.0033	0.0015	0.0024	0.0504	0.005
1	DSZU C041	0.107	1.35	0.0126	0.0055	0.63	0.059	0.040	0.067	0.017	.	0.0033	(0.0004)	0.0024	0.003	.
1	SS 432/1	0.102	1.34	0.024	0.029	0.843	0.14	.	0.14
1	SS 601/2	0.102	1.30	0.034	0.024	0.263	(0.04)	(0.03)	(0.14)	0.033		

HRT FE2014-N	0.0052	0.066	~35mm ϕ x 20 mm
ECRM 056-2D	44 mm ϕ x 25 or 30 mm
SRM 1224	0.002	32 mm ϕ x 19 mm
BS 54H *	<0.05	<0.005	<0.005	0.002	.	<0.05	<0.005	0.001	* Provisional Analysis				44 mm ϕ x 19 mm
VS RG28	.	0.029	0.0041	0.022	0.006	.	.	.	~45 mm ϕ x ~28mm
VS RG28/1	.	0.041	0.022	0.035	0.0041	.	.	.	~45 mm ϕ x ~28mm
IARM 373A	0.0088	0.001	0.002	(0.001)	(0.002)	0.0069	0.0017	0.023	(0.002)	(0.003)	(0.003)	.	31 mm ϕ x 2 or 18 mm
VS UG20/6	~45 mm ϕ x ~28 mm
NM 3405.01	40 mm ϕ x 20 mm
SS 435/1	.	0.039	38 mm ϕ x 19 mm
SS 435/2	.	0.13	38 mm ϕ x 19 mm
BS 56E	0.0056	(<0.002)	.	(0.0001)	0.0004	(0.0006)	(0.001)	(<0.002)	44 mm ϕ x ~7 or 19+ mm
IRSID 1636	48 mm ϕ x 30 mm
SS 459/2	.	0.0102	.	0.0044	0.0121	.	.	0.0585	.	.	(0.074)	.	38 mm ϕ x 19 mm
BS 56H	0.0106	0.0009	0.0025	0.0004	0.0025	0.0124	0.0009	0.0295	0.0007	Ta:0.0011	0.0007	.	38 mm ϕ x ~7 or 19+mm 17025
IARM 200D	0.009	0.0010	.	.	.	0.0079	(0.0013)	0.0244	(0.003)	.	.	.	31 mm ϕ x 2 or 18 mm
VS UG123	0.0078	0.0019	~45 mm ϕ x ~28mm
IRSID 1657	(0.001)	42 mm ϕ x 30 mm
IRSID 1648	40 mm ϕ x 28 mm
12X 10400A	0.0133	0.033	.	.	.	0.0033	.	.	~40 mm ϕ x ~15 mm
0.0127	
NM EN-8	40 mm ϕ x 20 mm
IRSID 1642	(0.002)	45 mm ϕ x 30 mm
IRSID 1647	41 mm ϕ x 30 mm
IRSID 1646	42 mm ϕ x 30 mm
IARM 210D	0.011	0.001	0.0034	0.001	0.002	0.010	0.0104	0.024	(0.002)	.	(0.001)	.	31 mm ϕ x 2 or 18 mm
SS 434/1	.	0.078	38 mm ϕ x 19 mm
IARM 349A	0.0100	0.0012	0.003	(0.001)	(0.003)	0.015	0.0013	0.027	0.004	(0.003)	(0.002)	.	31 mm ϕ x 2 or 18 mm
BS 3941	0.0069	0.033	0.0055	0.0010	0.0005	0.0019	0.0017	0.0025	(0.0004)	.	(0.0003)	.	41 mm ϕ x ~7 or 19+ mm 17025
IRSID 1652	0.030	45 mm ϕ x 30 mm
IRSID 1637	(0.002)	45 mm ϕ x 30 mm
SS 605/2	(0.001)	.	.	(0.12)	.	44 mm ϕ x 19 mm
IRSID 1644	45 mm ϕ x 30 mm
ECRM 084-1D	0.023	38 mm ϕ x 25 or 30 mm
IRSID 1645	45 mm ϕ x 30 mm
IRSID 1649	0.028	40 mm ϕ x 28 mm
SS 460/2	.	0.068	.	0.0005	(0.0006)	.	.	0.0322	.	.	(<0.0005)	.	38 mm ϕ x 19 mm
VS RG30	.	0.139	0.63	.	0.91	.	.	~45 mm ϕ x ~28mm
BS 1035	0.0105	(0.001)	0.0036	(0.001)	(0.002)	0.0027	0.0007	0.026	0.0020	Fe:97.9	(0.0009)	.	40 mm ϕ x ~7 or 19+ mm 17025
IRSID 1655	0.046	40 mm ϕ x 34 mm
IRSID 1663	0.0143	0.051	44 mm ϕ x 30 mm
VS UG90	0.015	.	.	.	0.0011	.	0.039	~47 mm ϕ x ~30 mm
VS UG19/6	~45 mm ϕ x ~28 mm
IARM 360A	0.0102	0.0015	0.004	(0.001)	0.0023	0.010	0.0010	0.039	(0.001)	(0.003)	(0.001)	.	31 mm ϕ x 2 or 18 mm
BS 1030	0.0107	(0.0004)	0.005	(0.0005)	0.0024	0.0114	0.0005	0.031	0.0012	(0.002)	(0.0002)	.	38 mm ϕ x ~7 or 19+ mm 17025
IARM 209D	0.0107	0.0014	0.005	0.001	0.004	0.012	0.0011	0.042	(0.002)	(0.003)	.	.	31 mm ϕ x 2 or 18 mm

Number	N	Nb	O	Pb	Sb	Sn	Ti	V	W	Zn	Zr	Units
IRSID 1653	0.066	40 mm ϕ x 34 mm
VS RG27	0.064	0.170	.	.	~45 mm ϕ x ~28mm
IRSID 1654	0.030	40 mm ϕ x 34 mm
SS 434/2	0.010	0.038	38 mm ϕ x 19 mm
IARM 359A	0.0094	0.002	0.0044	(0.001)	(0.002)	0.0100	0.0009	0.027	(0.001)	.	(0.001)	31 mm ϕ x 2 or 18 mm
BS 1026	0.0083	(0.0004)	0.0031	(0.0002)	0.0019	0.0112	(0.0004)	0.0016	0.0021	.	(0.0002)	38 mm ϕ x ~7 or 19+ mm 17025
VS UG94	0.053	(0.001)	.	.	.	~40 mm ϕ x ~28 mm
VS UG18/6	~45 mm ϕ x ~28 mm
HRT FE2016-N	0.0055	35 mm ϕ x 20 mm
BS 1020	0.0109	(0.0003)	0.0046	(0.0002)	(0.0018)	0.0090	(0.0005)	0.0363	(0.0004)	.	(0.0005)	44 mm ϕ x ~7 or 19+ mm 17025
IARM 213C	0.0116	0.0011	0.0042	0.0011	0.002	0.0081	0.0010	0.035	(0.002)	(0.006)	(0.0004)	31 mm ϕ x 2 mm
IRSID 1664	0.0072	(0.0002)	.	0.0002	0.0012	0.0108	0.0013	(0.0005)	<0.002	(0.0007)	(0.0001)	37 mm ϕ x 30 mm
VS RG25/1	.	0.016	0.055	0.0110	.	.	.	~45 mm ϕ x ~28mm
BS 1019	0.0079	(0.0006)	0.0014	(0.0006)	(0.001)	0.0099	0.0009	0.0009	0.0014	Fe:98.2	(0.001)	38 mm ϕ x ~7 or 19+ mm 17025
BS LF2B	0.0078	(0.0003)	0.0024	(0.0001)	0.0018	0.0092	0.0009	0.0300	0.0027	17025	Fe:97.9	38 mm ϕ x ~7 or 19+ mm
IARM 28K	(0.008)	0.0017	(0.005)	.	.	0.0075	(0.0015)	(0.0014)	.	.	.	31 mm ϕ x 2 or 18
BS 1016	0.0113	(0.0009)	(0.003)	(0.004)	Fe:98.4	0.013	0.0010	0.0011	(0.0013)	17025	(0.001)	Hexagon ~60 mm ϕ x 19+ mm
12X 10180C	0.0052	0.0024	.	.	.	0.0005	.	~40 mm ϕ x ~15 mm
NM 3404.01	40 mm ϕ x 20 mm last
12X 10180B	0.0071	0.0065	.	.	.	0.0079	.	~40 mm ϕ x ~15 mm
TL 1000	(0.0093)	0.0293	.	Mg:(0.00005)	.	(0.00106)	0.0011	(0.0033)	(0.0002)	.	.	36 mm ϕ x 20 mm
VS RG25	0.039	~45 mm ϕ x ~28mm
VS UG124	0.0072	0.0043	.	.	.	~45 mm ϕ x ~28mm
VS UG109	0.071	~45 mm ϕ x ~25 mm
BS 2931B	0.0076	0.0011	0.0021	(0.00004)	0.0012	0.0062	0.0008	0.0014	0.0007	Mg:0.0001	0.0005	38 mm ϕ x ~2mm 17025 last
IARM 213D	(0.008)	(0.0012)	(0.01)	.	(0.0032)	0.0147	0.0011	0.0010	(0.003)	(0.002)	(0.0015)	31 mm ϕ x 2 or 18
SS 456/2	.	0.0057	.	.	0.0189	0.0172	.	0.0221	.	.	(0.014)	38 mm ϕ x 19 mm
DSZU C041	0.0046	0.0017	0.0038	0.0019	0.003	(0.003)	.	40 mm ϕ x 25 mm
SS 432/1	.	<0.002	38 mm ϕ x 19 mm
SS 601/2	(0.002)	.	.	(<0.005)	44 mm ϕ x 19 mm
VS UG93	0.075	0.0008	.	.	.	~40 mm ϕ x ~28 mm
VS UG17/6	~45 mm ϕ x ~28 mm
SS 433/2	.	0.06	38 mm ϕ x 19 mm
IRSID 1661	(0.0005)	(0.0085)	40 mm x 42 mm x 30 mm
VS UG125	0.0112	0.035	.	.	.	~45 mm ϕ x ~28mm
VS UG108	0.071	.	0.074	.	.	~45 mm ϕ x ~25 mm
SRM 1228	<0.001	.	.	.	32 mm ϕ x 19 mm
ECRM 057-2D	0.0023	38 mm ϕ x 25 or 30 mm
BS XCCS-1	0.0052	(0.001)	.	(0.0006)	(0.0005)	0.0002	0.0015	0.0012	(0.003)	.	0.0006	~40 mm ϕ x ~30 mm 17025
VS RG26/1	.	0.0056	0.100	0.0113	.	.	.	~45 mm ϕ x ~28mm
NM PC-1	0.00439	.	40 mm ϕ x 20 mm
ECRM 083-2D	0.00157	38 mm ϕ x 28 mm
DSZU C03	.	(0.002)	.	(0.009)	(0.003)	0.011	0.002	0.004	(0.009)	(0.0037)	(0.0006)	40 mm ϕ x 30 mm
VS RG26	0.121	.	0.0058	.	.	~45 mm ϕ x ~28mm
SS 431/2	0.005	0.004	38 mm ϕ x 19 mm
VS UG2/11	(0.007)	~45 mm ϕ x ~28 mm
DSZU C040	0.0071	(0.0004)	.	.	.	(0.0001)	0.0010	(0.001)	(0.002)	.	.	40 mm ϕ x 25 mm
RM Fe 1/5	0.002	<0.005	.	<0.002	.	0.0008	<0.0005	<0.0005	0.002	.	<0.005	40 mm ϕ x 40 mm
VS UG2/5	.	(0.002)	(0.01)	0.005	(0.02)	.	.	~45 mm ϕ x ~28 mm
SS 432/2	0.007	0.018	38 mm ϕ x 19 mm
SS 111/1	0.0025	0.0006	0.0004	0.0002	.	.	.	44 mm ϕ x 19 mm
VS 005	0.0021	0.0047	~45 mm ϕ x ~25 mm
VS UG2/10	(0.006)	0.0017	0.0070	~45 mm ϕ x ~28 mm
VS 003	0.0020	0.0063	~45 mm ϕ x ~25 mm last
CZ LA-1B	0.003	(0.001)	.	(0.0007)	(0.002)	(0.001)	(0.001)	0.004	0.010	.	(0.002)	~37 mm ϕ x 25 mm
IMZ 110A	0.0037	(0.0006)	(0.0014)	.	.	.	43 mm ϕ x 20 mm
VS 004	0.0013	~45 mm ϕ x ~25 mm
VS 002	0.00040	0.0005	~45 mm ϕ x ~25 mm
BS LC-6	0.0003	last	0.0007	(<0.0020)	(<0.0001)	(<0.0020)	0.0006	(<0.0010)	(<0.0050)	(0.00004)	(0.0004)	39 mm ϕ x ~7, ~12, or 19mm 17025

Number	N	Nb	O	Pb	Sb	Sn	Ti	V	W	Zn	Zr	Units
--------	---	----	---	----	----	----	----	---	---	----	----	-------

ARSENIC AND ANTIMONY IN STEEL

= Class, where 1 = CRM and 2 = RM analysis listed in mass % except * which is mg/kg

#	Number	As	Sb	C	Mn	P	S	Si	Cu	Ni	Cr	Al	Als	Co	Mo	Sn	Ti
1	VS UG87	0.116	0.0012	0.59	1.18	0.026	0.022	1.25	0.030	0.50	0.260	0.024	0.02	.	0.044	.	0.103
1	12X 12749W	0.071	.	0.132	1.250	0.0257	0.101	0.298	0.311	0.485	0.554	0.004	.	0.436	0.224	0.040	0.031
1	SS 454/1	0.070	.	0.376	0.80	0.061	0.047	0.31	0.051	0.069	0.062	.	.	.	0.20	0.054	0.010
1	IMZ 120	0.065	0.031	0.60	0.40	(0.049)	0.026	0.34	0.10	0.085	0.20	0.033	.	.	.	0.008	.
1	12X 15266V	0.0640	.	0.455	1.240	0.0344	0.0258	0.674	0.226	1.317	3.49	0.526	.	0.286	0.298	0.0082	.
1	IRSID 1656	0.055	.	0.477	0.730	0.027	0.013	0.277	.	(0.048)	(0.017)	(0.002)	.	.	(0.007)	.	.
1	12X 15260W	0.055	.	0.352	2.08	0.0275	0.074	0.485	0.152	0.453	2.98	0.191	.	0.0884	0.098	0.0094	.
1	12X 350B	0.053	.	0.138	0.706	0.029	0.0363	0.672	0.150	0.162	0.392	0.341	.	0.0206	0.149	0.0298	0.099
1	12X 350C *	0.05	.	0.16	0.76	0.03	0.04	0.45	0.20	0.16	0.34	0.29	.	0.032	0.15	0.035	0.075
1	12X 353G	0.0461	0.138	0.111	0.726	0.0099	0.0147	0.207	0.232	0.214	0.701	0.0485	.	0.0240	0.1063	0.113	0.0387
1	12X 12746U	0.049	.	0.0132	1.70	0.0247	0.064	0.183	0.368	0.161	0.182	0.021	.	0.115	0.654	0.202	0.0283
1	12X 358A	0.0393	0.128	0.129	0.709	0.0102	0.0142	0.199	0.250	0.212	0.625	0.0616	.	0.0355	0.108	0.117	0.0453
1	12X 355C	0.0331	0.0796	0.159	0.508	0.0214	0.0241	0.494	0.657	0.0710	0.113	0.1104	.	0.0495	0.1010	0.0564	0.153
1	12X 354B	0.023	.	0.252	5.03	0.0478	0.0105	0.200	0.0679	0.082	0.0487	0.0150	.	0.0237	0.0328	0.0154	0.0248
1	ECRM 055-2D	0.0187	0.00376	0.5199	0.687	0.0102	0.0205	0.3094	0.2089	0.3121	0.3217	.	.	0.0257	0.0960	0.0162	0.00104
1	12X 357C	0.0147	0.0140	0.270	0.220	0.0101	0.0590	0.153	0.265	0.0954	0.094	0.208	.	0.199	0.0105	0.0188	0.0569
1	BS 1030	0.0055	0.0024	0.331	0.682	0.0101	0.0299	0.261	0.269	0.078	0.124	0.0014	.	0.0069	0.0182	0.0114	0.0005
1	VS UG90	0.0044	0.0011	0.34	0.286	0.0079	0.012	0.221	0.200	0.265	0.261	0.037	0.032	.	0.046	.	0.039
1	VS UG89	0.0043	0.0011	0.92	0.76	0.0085	0.01	0.385	0.373	0.51	0.420	0.01	0.007	.	0.044	.	0.012
1	BS 2931B	0.0033	0.0012	0.159	0.788	0.0108	0.0292	0.207	0.098	0.083	0.080	0.0191	.	0.0056	0.0329	0.0062	0.0008
1	VS UG92	0.0027	0.0005	0.69	0.79	0.05	0.0029	1.98	0.111	0.155	0.200	0.091	0.08	.	0.119	.	0.022
1	IRSID 1670	0.0018	.	0.0011	0.3981	0.0128	0.0075	0.0046	0.0134	0.0142	0.0174	0.0479	.	0.0018	0.0009	0.0017	0.0078
1	VS UG88	0.0007	0.0003	0.62	1.26	0.0026	0.0043	1.22	0.171	0.52	0.474	0.01	0.009	.	0.104	.	0.107
1	VS UG91	0.0004	0.00009	0.49	.	0.0038	0.0021	2.23	0.057	0.039	0.064	0.048	0.048	.	0.058	.	0.038
1	SS 458/2	.	0.089	0.198	0.479	0.0281	0.0314	0.504	.	.	.	0.055	0.053	0.198	.	.	.
1	SS 457/2	.	0.050	0.307	0.327	0.0098	0.0448	0.105	.	.	.	0.088	0.084	0.0217	.	.	.

Number	B	Bi	Ca*	Ce*	Mg*	N	Nb	O*	Pb	Se	Ta	V	W	Zn	Zr	Units
VS UG87	0.010	.	.	0.00008	.	.	0.0038	.	.	.	~47 mm Ø x ~30 mm
12X 12749W	0.069	0.034	.	.	~40 mm Ø x ~15 mm
SS 454/1	(0.0001)	.	.	.	0.15	.	.	38 mm Ø x 19 mm last
IMZ 120	0.0115	.	.	0.077	40 mm Ø x 40 mm
12X 15266V	1.438	.	.	.	0.116	0.106	.	.	.	~40 mm Ø x ~15 mm
IRSID 1656	(0.002)	.	.	.	40 mm Ø x 35 mm
12X 15260W	0.254	.	.	.	(0.016)	0.442	.	.	.	~40 mm Ø x ~15 mm
12X 350B	0.0286	0.275	.	.	40 mm Ø x 15 mm
12X 350C *	0.012	0.25	.	.	~40 mm Ø x ~15 mm
12X 353G	.	0.0246	.	.	.	0.0027	0.0641	.	0.0179	0.0192	.	0.0189	0.135	.	0.034	~40 mm Ø x ~15 mm
12X 12746U	0.0218	0.0160	0.101	.	.	40 mm Ø x ~20 mm last
12X 358A	.	0.0102	.	.	.	0.0029	0.104	.	0.0052	0.097	.	0.0261	0.123	.	0.0113	~40 mm Ø x ~15 mm
12X 355C	(0.0012)	0.0023	0.023	.	.	0.0395	.	0.1265	0.037	.	0.0192	~40 mm Ø x ~15 mm
12X 354B	0.0027	0.0802	0.0204	0.0248	.	.	~40 mm Ø x ~15 mm
ECRM 055-2D	0.01069	0.00245	0.0166	.	.	38 mm Ø x 25 or 30 mm
12X 357C	0.0102	0.0058	.	.	.	0.0079	0.0051	.	0.0315	(0.004)	.	0.166	0.0194	0.0094	.	~40 mm Ø x ~15 mm
BS 1030	0.0003	.	12	(2)	.	0.0107	(0.0004)	50	0.0005	.	(0.001)	0.031	0.0012	.	(0.0002)	38 mm Ø x ~7 or 19+ mm 17025
VS UG90	0.015	~47 mm Ø x ~30 mm
VS UG89	0.017	0.0043	.	0.0003	.	.	0.021	.	.	.	~47 mm Ø x ~30 mm
BS 2931B	0.0002	.	2	1	.	0.0076	0.0011	21	(0.00004)	.	(0.0004)	0.0014	0.0007	last	0.0005	38 mm Ø x ~2 mm 17025
VS UG92	0.016	0.034	.	0.00017	.	.	0.024	.	.	.	~47 mm Ø x ~30 mm
IRSID 1670	0.0007	.	.	(2)	.	0.0016	(0.0003)	(0.0005)	.	.	.	37 mm Ø x 30 mm
VS UG88	0.020	0.059	.	0.00015	.	.	0.117	.	.	.	~47 mm Ø x ~30 mm
VS UG91	0.010	0.097	.	0.00006	.	.	0.049	.	.	.	~47 mm Ø x ~30 mm
SS 458/2	0.0069	0.0510	.	0.0140	.	.	0.105	.	.	(0.064)	38 mm Ø x 19 mm
SS 457/2	0.0046	0.0174	.	0.0098	.	.	0.153	.	.	0.025	38 mm Ø x 19 mm

BISMUTH AND SELENIUM STEEL

= Class, where 1 = CRM and 2 = RM

BS: 38 mm Ø x ~7 or 19+ mm

CZ: ~39 mm Ø x 25 mm

#	Number	Bi	Se	C	Mn	P	S	Si	Cu	Ni	Cr	Al	As	Co	Mo	N
2	BS 4140A	0.105	.	0.40	0.84	0.021	0.076	0.21	0.15	0.15	0.97	0.016	0.005	0.010	0.16	0.0098
2	BS 53MOD	0.102	.	1.01	0.36	0.011	0.012	0.26	0.070	0.072	1.37	0.019	0.004	0.007	0.024	0.0086
2	BS 4140B	0.087	.	0.43	0.76	0.027	0.037	0.20	0.006	0.012	0.84	0.036	(0.002)	0.005	0.16	0.0064
2	BS 4150MOD	0.070	.	0.47	0.90	0.024	0.079	0.21	0.19	0.15	1.01	0.012	0.005	0.012	0.21	0.0087
2	CZ CM-16A	0.039	.	0.355	0.92	0.043	0.033	0.77	0.293	0.72	0.70	0.125	0.058	0.056	0.405	0.015

Number	B	Ca	Nb	O	Pb	Sb	Sn	Ti	V	W	Zn	Zr
BS 4140A	.	(0.0003)	.	(0.0025)	(0.001)	.	0.011	(0.003)	0.004	.	.	.
BS 53MOD	.	(0.001)	.	(0.002)	0.0005	.	0.008	.	0.005	.	.	.
BS 4140B	.	(0.0002)	.	(0.002)	0.004	.	(0.002)	0.003	0.005	.	.	.
BS 4150MOD	.	0.0010	.	(0.003)	0.0010	.	0.013	(0.002)	0.008	.	.	.
CZ CM-16A	0.012	0.0006	0.066	.	0.053	0.027	0.025	0.099	0.319	0.141	0.021	0.062

CALCIUM IN STEEL

= Class, where 1 = CRM and 2 = RM analysis listed in mass % except * which is mg/kg

#	Number	Ca	C	Mn	P	S	Si	Cu	Ni	Cr	Al	Als	Co	Mo	N	V
1	BS HiCal-1	0.0140	0.271	1.00	(0.007)	0.0007	1.29	0.152	3.28	1.55	0.070	.	0.0024	0.379	.	0.0027
1	SS 115	0.0058	0.6224	0.682	0.0123	0.00093	0.2078	.	0.0196	0.0198	0.0527	.	.	.	0.0067	.
1	BS 9325A	0.0039	0.203	0.969	0.0079	0.0045	0.612	0.163	3.29	1.50	0.0056	.	0.0093	0.358	0.0076	(0.0024)
1	SS 116	0.0036	0.617	0.6756	0.0092	0.00176	0.201	.	0.0155	0.0141	0.0587	.	.	.	0.0069	.
1	ECRM 194-1D	0.0026	0.1532	1.188	0.0097	0.0006	0.431	0.0751	0.3417	0.733	0.0837	.	.	0.2857	0.0115	0.0243
1	BS XCCS-1	0.0024	0.0441	0.356	0.0068	0.0022	0.292	0.0143	0.0132	0.0288	0.061	.	0.0017	0.0060	0.0052	0.0012
1	BS 1020	0.0022	0.210	0.568	0.0058	0.0249	0.250	0.184	0.059	0.109	0.0006	.	0.0070	0.018	0.0109	0.0363
2	HRT FE2009-N	0.0020	0.12	0.55	0.010	0.003	0.32	0.08	0.25	2.56	0.030	.	.	1.02	.	0.015
1	IRSID 1665	0.0017	0.1209	0.446	0.0104	0.0135	0.187	0.0469	0.0308	0.0363	.	0.0379	0.0046	0.0047	0.0049	(0.0006)
1	BS 3941	0.0011	0.407	0.802	0.016	0.023	0.257	0.053	0.018	0.069	0.0019	.	0.0042	0.0061	0.0069	0.0025
1	IARM 254A	0.001	0.500	0.78	0.010	0.024	0.211	0.091	0.044	0.050	0.025	.	0.006	0.013	0.0096	0.002
2	BS 4150MOD	0.0010	0.47	0.90	0.024	0.079	0.21	0.19	0.15	1.01	0.012	.	0.012	0.21	0.0087	0.008
2	BS 4330V	0.0010	0.318	0.91	0.008	0.0009	0.240	0.181	1.91	0.91	0.021	.	0.011	0.475	0.0076	0.094
1	BS 4130	0.0007	0.303	0.541	0.0105	0.0113	0.245	0.221	0.088	0.924	0.0242	.	0.0065	0.168	0.0072	0.0037
2	BS 4942	0.0006	0.414	0.56	0.015	0.021	0.22	0.165	0.16	0.97	(0.004)	.	0.010	0.54	0.0080	0.28
2	BS 2952	0.0003	1.03	0.33	0.013	0.014	0.32	0.106	0.135	1.36	0.024	.	0.007	0.044	0.0084	0.005
1	BS PP20	0.0003	0.382	1.41	0.018	0.0070	0.262	0.119	1.00	1.94	0.0132	.	0.0145	0.212	0.0080	0.066
1	IMZ 111	0.0003	0.106	0.31	0.010	0.039	0.55	0.036	0.23	0.072	0.017	0.007	.	0.084	0.0133	0.022
2	TL 1669	0.00017	0.00226	0.0955	0.0137	0.0100	0.0093	0.0217	0.0160	0.0246	0.03553 (tot)	.	0.0019	0.0011	0.0024	(0.0006)

Number	As	B	Bi	Nb	O	Pb	Sb	Sn	Ti	W	Zr	Other
BS HiCal-1	0.0022	(0.0001)	.	(0.002)	.	(0.0005)	.	(0.0002)	0.0037	(0.0009)	(0.0008)	~38 mm Ø x ~30 mm
SS 115	0.0027	.	.	38 mm Ø x 19 mm
BS 9325A	0.0024	(0.0001)	.	0.0017	.	(0.0003)	Fe: 92.8	(0.0003)	0.0030	0.024	(0.001)	~40 mm Ø x ~30 mm
SS 116	0.00012	.	.	0.00171	.	.	44 mm Ø x 19 mm
ECRM 194-1D	0.0042	0.0020	Block ~38 x 34 x 32 mm
BS XCCS-1	0.0024	(0.0004)	.	(0.001)	Fe: 99.2	(0.0006)	(0.0005)	0.0002	0.0015	(0.003)	0.0006	~40 mm Ø x ~30 mm
BS 1020	0.0074	(0.0001)	.	(0.0003)	0.0046	(0.0002)	(0.0018)	0.0090	(0.0005)	(0.0004)	(0.0005)	44 mm Ø x ~7 or 19+ mm
HRT FE2009-N	Zn: 0.004	40 mm Ø x 40 mm
IRSID 1665	0.0067	(0.00032)	.	.	.	(0.0014)	(0.0008)	0.0031	(0.0008)	.	.	37 mm Ø x 30 mm
BS 3941	0.0036	(0.0001)	.	0.033	0.0055	0.0010	0.0005	0.0019	0.0017	(0.0004)	(0.0003)	41 mm Ø x ~7 or 19+ mm
IARM 254A	0.005	0.0002	.	0.001	(0.003)	(0.0003)	.	0.005	0.001	(0.001)	(0.001)	31 mm Ø x 2 mm
BS 4150MOD	0.005	.	0.070	.	(0.003)	0.0010	.	0.013	(0.002)	.	.	38 mm Ø x ~7 or 19+ mm
BS 4330V	0.0018	.	.	0.010	.	.	.	37 mm Ø x ~7 or 19+ mm
BS 4130	0.0048	(0.0002)	.	0.0015	0.0015	(0.00003)	(0.0021)	0.0099	0.0009	0.0011	Mg: 0.0002	38 mm Ø x ~7 or 19+ mm
BS 4942	0.005	.	.	.	(0.0021)	.	.	0.014	.	.	.	38 mm Ø x ~7 or 19+ mm last
BS 2952	0.004	.	.	.	(0.002)	.	0.003	0.006	0.003	.	.	44 mm Ø x ~7 or 19+ mm
BS PP20	0.0049	0.00011	.	0.0048	(0.0010)	.	0.0013	0.0069	0.0007	0.0058	.	38 mm Ø x ~7 or 19+ mm
IMZ 111	40 mm Ø x 40 mm
TL 1669	0.0017	0.00038	.	0.00046	.	0.00013	0.00049	0.0071	0.0504	.	(0.00021)	38 mm Ø x 25 mm Zn: 2.7*

CRM Al, Ca, AND N IN LOW ALLOY STEEL

Number	Al	Ca	N	Units
IMZ 133	.	.	0.0360	40 mm Ø x 40 mm
IMZ 131	0.0043	.	0.0333	40 mm Ø x 40 mm
IMZ 135	0.0274	0.0008	0.0238	40 mm Ø x 40 mm
IMZ 169	0.075	.	0.0193	40 mm Ø x 40 mm
IMZ 141	0.0071	.	0.0154	40 mm Ø x 40 mm
IMZ 130	0.0046	0.0024	0.0153	40 mm Ø x 40 mm
IMZ 139	(0.029)	0.0031	0.0113	40 mm Ø x 40 mm
IMZ 132	0.0021	0.0002	0.0097	40 mm Ø x 40 mm
IMZ 137	0.0017	0.00025	0.0083	40 mm Ø x 40 mm
IMZ 140	0.0307	0.0015	0.0083	40 mm Ø x 40 mm
IMZ 138	0.0022	.	0.0063	40 mm Ø x 40 mm
IMZ 134	0.0124	0.0005	.	40 mm Ø x 40 mm
IMZ 136	0.0034	0.00031	.	40 mm Ø x 40 mm

C-Mo and Cr-Mo STEEL XRF SET

= class, where 1 = CRM ISO 17025 and 2 = RM, Set Part Number: BS MOLY-5 AVAILABLE INDIVIDUALLY ~7 mm discs

#	Grade	Alloy	Number	C	Mn	P	S	Si	Cu	Ni	Cr	Mo	Al	Co	N	Sn	V
2	C-.5Mo	4419	BS 3952	0.208	0.546	0.011	0.021	0.264	0.202	0.112	0.105	0.519	0.048	.	(0.0005)	.	.
1	1.25Cr-.5Mo	F-11	BS 45B	0.140	0.502	0.0068	0.017	0.583	0.101	0.136	1.14	0.60	0.030	0.0090	0.0066	0.0069	0.0083
2	2.25Cr-1Mo	F-22	BS 1982	0.128	0.441	0.012	0.026	0.255	0.177	0.197	2.09	0.89	0.021	0.010	0.0097	0.013	0.003
2	5Cr-.5Mo	F-5	BS 47A	0.130	0.44	0.017	0.015	0.27	0.11	0.12	4.22	0.47	0.015	0.011	0.018	0.008	0.016
1	9Cr-1Mo	F-9	BS 48B	0.110	0.365	0.0228	0.0068	0.75	0.070	0.165	8.78	0.949	0.0157	0.0165	0.0088	0.0049	0.033

CRM EPMA SETS

available in sets only, as grouped 4x10x15mm

Number	Cr	Number	Ni
NMIJ 1001-a	5.00	NMIJ 1006-a	5.04
NMIJ 1002-a	14.96	NMIJ 1007-a	10.05
NMIJ 1003-a	19.87	NMIJ 1008-a	20.02
NMIJ 1004-a	29.84	NMIJ 1009-a	39.92
NMIJ 1005-a	39.69	NMIJ 1010-a	60.07

Cr-Mo STEEL (Cr > 1, Mo > 0.1)

= Class, where 1 = CRM and 2 = RM * Provisional Analysis

#	Number	Cr	Mo	C	Mn	P	S	Si	Cu	Ni	Al	As	Co	N	Sn	V
1	BS 48B	8.78	0.949	0.110	0.36	0.0228	0.0068	0.75	0.070	0.165	0.0157	0.0048	0.0165	0.0088	0.0049	0.033
1	BS 9905A	8.75	0.95	0.113	0.465	0.0133	0.0040	0.34	0.091	0.152	0.0186	0.0065	0.0136	0.034	0.0060	0.216
1	BS H-13	5.14	1.24	0.402	0.386	0.0103	0.0202	0.99	0.197	0.109	0.0152	0.0066	0.0092	0.0108	0.0093	0.98
2	HRT FE2012-H	5.13	2.78	0.37	0.41	0.019	0.002	0.42	0.07	0.20	0.42
2	BS 47B	4.78	0.45	0.122	0.39	0.014	0.022	0.22	0.12	0.105	0.018	0.004	.	0.023	0.006	0.004
1	IARM 37C	4.34	0.500	0.096	0.408	0.014	(0.004)	0.31	0.121	0.148	(0.010)	(0.009)	0.015	0.008	0.009	0.017
2	BS 47A	4.22	0.47	0.130	0.44	0.017	0.015	0.27	0.11	0.12	0.015	.	0.011	0.018	0.008	0.016
1	12X 40CDV12A	3.29	0.946	0.401	0.604	0.0060	0.0013	0.250	0.0978	0.1062	0.0208	0.0040	0.0197	0.0155	0.0049	0.198
1	SRM 1772	3.10	1.39	0.477	0.61	0.008	0.0031	0.264	0.083	0.105	0.236
1	SS 407/2	3.03	0.83	0.490	0.195	0.038	0.0105	0.66	0.397	0.527	0.040	.	0.0068	(0.011)	.	0.19
2	RM Fe D/7	2.97	1.21	0.85	0.21	0.019	0.013	1.03	0.06	0.12	0.15	0.004	0.32	.	(0.0030)	0.05
2	RM Fe D/5	2.72	1.41	0.85	0.31	0.022	0.023	1.18	0.11	0.12	0.22	0.005	0.32	.	0.013	0.031
1	IMZ 160	2.64	0.98	0.077	0.38	0.023	0.004	0.34	0.42	0.30	0.031	0.10
1	IMZ 159	2.64	0.98	0.075	0.39	0.022	0.005	0.33	0.41	0.31	0.024	0.10
2	HRT FE2009-N	2.56	1.02	0.12	0.55	0.010	0.003	0.32	0.08	0.25	0.030	0.015
1	IARM 36C	2.43	0.98	0.14	0.49	0.009	0.014	0.25	0.142	0.085	(0.017)	(0.005)	(0.008)	0.008	(0.008)	0.0061
1	IARM 196A	2.35	0.129	1.08	2.40	0.040	0.014	0.35	0.25	0.61	0.015	0.025	0.013	0.0084	0.033	0.157
1	SRM 1270	2.34	0.956	0.077	0.626	0.0065	0.0065	0.247	0.114	0.174	.	.	0.038	.	.	0.013
1	BS 46B	2.28	1.00	0.126	0.472	0.0087	0.0187	0.219	0.128	0.081	0.020	0.0041	0.0074	0.0100	0.0073	0.0073
1	IMZ 169	2.20	1.03	0.099	0.54	0.015	0.0155	0.35	0.128	0.073	0.075	.	0.012	0.0193	0.062	(0.016)
1	ECRM 190-1D	2.18	0.410	0.395	1.28	0.0112	0.0044	0.278	.	0.934	.	.	0.034	.	.	.
1	SRM 1139a	2.1	0.51	0.79	0.92	0.012	0.013	0.80	0.47	0.98	0.26
1	BS 1982	2.09	0.89	0.128	0.441	0.012	0.026	0.255	0.177	0.197	0.021	0.007	0.010	0.0097	0.013	0.003
1	BS PP20	1.94	0.212	0.382	1.41	0.018	0.0070	0.262	0.119	1.00	0.0132	0.0049	0.0145	0.0080	0.0069	0.066
1	BS 55G *	1.8	0.42	0.38	0.85	0.011	0.003	0.57	0.11	0.13	0.012	0.006	0.009	0.008	0.008	0.006
1	IRSID 1749	1.734	0.257	0.411	0.733	0.0104	0.0157	0.193	0.188	0.190	1.034	0.0134	0.0141	0.0066	0.0148	(0.0036)
1	ECRM 129-3D	1.702	0.206	0.3684	0.371	0.0110	0.0165	0.2087	0.0804	1.022	1.016	0.0049	0.0148	0.0046	0.0067	.
1	TL 1100	1.664	0.3349	0.3487	0.6284	0.0124	0.0049	0.2839	0.1767	3.727	0.0374	.	0.0283	0.0116	0.0083	.
1	ECRM 195-1D	1.56	0.77	0.757	0.571	0.017	0.012	0.467	0.036	0.33	.	.	.	0.010	.	0.31
1	SRM 1286	1.53	0.344	0.196	0.152	0.008	0.017	0.130	0.043	2.81	0.109	0.019	0.116	.	0.012	0.0057
2	BS 68B	1.51	0.309	0.39	0.52	0.010	0.020	0.26	0.163	0.165	1.08	.	0.010	0.0073	0.010	0.007
1	BS 68E	1.49	0.322	0.406	0.560	0.005	0.0004	0.296	0.134	0.147	1.09	(0.003)	0.007	0.0030	0.0097	0.0010
1	12X 24065A	1.412	0.1716	0.370	0.502	0.0129	0.0044	0.218	0.216	0.271	1.035	0.0074	.	0.0076	0.0120	0.0040
2	BS 58E	1.40	0.110	0.100	0.63	0.009	0.002	0.29	0.154	3.22	0.029	0.003	0.013	0.0033	0.003	0.006
1	12X 15CDV6A	1.397	0.875	0.171	0.839	0.0056	0.0086	0.152	0.0231	0.044	0.019	0.0041	.	0.0069	0.0011	0.242
1	IARM 35L	1.35	0.607	0.119	0.535	0.007	0.014	0.679	0.123	0.071	0.017	0.0045	0.0070	0.0072	0.0088	0.0037
1	SS 112	1.236	0.190	0.394	0.436	0.0043	0.0026	0.289	0.149	1.461	0.0148	0.0021	0.0175	0.0024	0.0086	.
1	12X 43400A	1.181	0.223	0.422	0.592	0.0164	0.0284	0.259	0.177	1.378	0.013	0.0084	.	0.0089	0.007	.
1	BS 45B	1.14	0.60	0.140	0.502	0.0068	0.017	0.583	0.101	0.136	0.030	0.0066	0.0090	0.0066	0.0069	0.0083
1	IRSID 1745	1.130	0.222	0.295	0.850	0.0077	0.081	0.220	0.202	0.188	0.0202	0.0262	.	.	0.0134	(0.004)
1	12X 11572A	1.107	0.499	0.111	0.498	0.0069	0.0025	0.649	0.0576	0.0977	0.0290	0.0030	.	0.0058	0.0049	.
1	12X 14072A	1.061	0.573	0.430	0.680	0.0151	0.0061	0.322	0.203	0.136	0.0039	.	0.0098	0.0103	(0.011)	0.301
2	BS 1962	1.05	0.229	0.41	0.94	0.007	0.011	0.242	0.224	0.16	0.018	0.007	0.008	0.0095	0.010	0.004
1	IPT 501	1.05	0.210	0.277	0.723	0.016	0.030	0.208	0.083	0.063	0.034	.	0.008	0.0076	0.008	.
1	IARM 299A	1.03	0.99	0.469	0.70	0.008	0.002	0.22	0.100	0.57	0.092	0.003	0.0054	0.0028	0.0055	0.120
2	BS 4150MOD	1.01	0.21	0.47	0.90	0.024	0.079	0.21	0.19	0.15	0.012	0.005	0.012	0.0087	0.013	0.008
1	12X 41400A	1.003	0.211	0.418	0.795	0.0138	0.0210	0.221	0.238	0.127	0.0195	0.0088	.	0.0101	0.0181	.

Number	B	Ca	Nb	O	Pb	Sb	Ta	Ti	W	Zr	Units
BS 48B	(0.0002)	(0.003)	(0.001)	0.0022	(0.0002)	(0.001)	.	0.0031	0.026	(0.002)	38 mm Ø x ~7 or 19+ mm 17025 Fe: 88.7
BS 9905A	(0.0005)	(0.0002)	0.074	0.0024	(0.002)	(0.003)	(0.01)	0.0023	0.0024	(0.002)	38 mm Ø x ~7 or 19+ mm 17025 Fe: 88.9
BS H-13	(0.0002)	(0.0003)	(0.0004)	0.0018	(0.0003)	0.0020	(0.003)	(0.0019)	0.0022	(0.0014)	38 mm Ø x ~7 or 19+ mm 17025 Fe: [90.4]
HRT FE2012-H	.	.	(0.0007)	40 mm Ø x 20 mm
BS 47B	.	.	(0.004)	38 mm Ø x ~7 or 19+ mm
IARM 37C	.	.	(0.004)	.	.	.	(0.0025)	(0.012)	.	.	31 mm Ø x 2 or 18 mm
BS 47A	.	.	0.002	(0.003)	.	.	0.003	.	.	.	38 mm Ø x ~7 or 19+ mm
12X 40CDV12A	38 mm Ø x ~15 mm
SRM 1772	34 mm Ø x 19 mm
SS 407/2	38 mm Ø x 19 mm
RM Fe D/7	.	.	0.28	.	(0.0106)	.	.	0.10	0.07	0.14	40 mm Ø x 40 mm
RM Fe D/5	.	.	0.31	0.18	0.082	0.071	40 mm Ø x 40 mm last
IMZ 160	0.26	.	40 mm Ø x 40 mm
IMZ 159	0.26	.	40 mm Ø x 40 mm
HRT FE2009-N	.	0.0020	Zn: 0.004	40 mm Ø x 40 mm
IARM 36C	31 mm Ø x 2 or 18 mm
IARM 196A	0.0017	0.0002	0.087	0.0021	0.001	0.006	.	0.014	0.189	0.006	31 mm Ø x 18 mm
SRM 1270	32 mm Ø x 19 mm
BS 46B	(0.0006)	0.0009	(0.003)	0.0026	(0.001)	(0.002)	.	(0.001)	0.0008	(0.002)	38 mm Ø x ~7 or 19+ mm 17025 Fe: 95.7
IMZ 169	.	.	(0.0045)	.	(0.001)	.	.	0.001	.	.	40 mm Ø x 40 mm
ECRM 190-1D	35 mm x 35 mm x 30 mm
SRM 1139a	32 mm Ø x 13 mm
BS 1982	.	.	(<0.003)	0.0017	(0.0003)	0.002	.	(0.001)	.	last	39 mm Ø x ~7 through 40mm 25(pre-17025)
BS PP20	0.00011	0.0003	0.0048	(0.0010)	.	0.0013	.	0.0007	0.0058	.	38 mm Ø x ~7 or 19+ mm 17025
BS 55G *	0.0002	0.0014	0.003	0.002	<0.005	<0.005	.	0.005	0.03	0.002	38 mm Ø x ~7 or 19+ mm Fe: [95.6]
IRSID 1749	.	(0.0002)	(<0.0005)	0.0002	(<0.0002)	0.0018	.	0.0031	(<0.0030)	(<0.0003)	41 mm Ø x 25 mm Mg: 9 ppm
ECRM 129-3D	0.00059	.	0.0030	.	.	39 mm Ø x 25 mm
TL 1100	40 mm Ø x 20 mm
ECRM 195-1D	38 mm Ø x 28 to 35 mm
SRM 1286	(0.006)	.	(0.012)	.	(0.0002)	.	.	0.040	(0.013)	(0.021)	32 mm Ø x 19 mm
BS 68B	0.005	.	.	41 mm Ø x 15-19 mm last
BS 68E	0.0002	(0.0003)	(0.002)	0.0011	(0.0002)	0.0024	.	0.0012	(0.002)	.	38 mm Ø x ~7 or 19+ mm Mg:0.0004 17025
12X 24065A	0.0028	.	Zn:0.0034	~40 mm Ø x ~15 mm
BS 58E	(0.0002)	(0.0002)	.	0.0008	.	.	.	(0.002)	.	.	38 mm Ø x ~7 or 19+ mm
12X 15CDV6A	~40 mm Ø x ~15 mm
IARM 35L	0.00044	.	(0.0026)	(0.0015)	(0.004)	.	31 mm Ø x 2 or 18 mm
SS 112	0.0007	.	0.0065	0.0100	.	.	44 mm Ø x 19 mm
12X 43400A	(0.0003)	0.0008	(0.002)	0.0015	(0.15)	(0.003)	.	0.0024	(0.0038)	(0.0009)	~40 mm Ø x ~15 mm Zn: 0.0027
BS 45B	(0.0003)	0.0008	(0.002)	0.0015	(0.15)	(0.003)	.	0.0024	(0.0038)	(0.0009)	38 mm Ø x ~7 or 19+ mm 17025 Fe: 96.7
IRSID 1745	(0.003)	.	.	48 mm Ø x 30 mm
12X 11572A	Zn:0.0009	38 mm Ø x ~15 mm
12X 14072A	~38 mm Ø x ~15 mm
BS 1962	(0.001)	.	.				

LEADED STEEL

= Class, where 1 = CRM and 2 = RM

OES regularly requires extension of preburn time

Table with columns: #, Number, Pb, C, Mn, P, S, Si, Cu, Ni, Cr, Al, As, Co, Mo, N, Sn, V. Rows include BS 74C, BS 73C, BS 75G, BS 75F, BS 73C, BS 72B, BS 70B, BS 70C.

Table with columns: Number, B, Ca, Nb, O, Sb, Ti, W, Zn, Grade, Units. Rows include BS 74C, BS 75G, BS 75F, BS 73C, BS 72B, BS 73B, BS 70B, BS 70C.

RM LEADED AND BISMUTH STEEL XRF SET

Part Number: BS PB-BI-7

AVAILABLE INDIVIDUALLY

-7 mm discs

17025

Table with columns: Grade, Number, C, Mn, P, S, Si, Cu, Ni, Cr, Mo, Al, Bi, Pb, Sn, V, N. Rows include 11L17, 12L14, 41L40, 41L50, 4140 + Bi & S, 4150 + Bi & S, 8620 + Bi & S.

MANGANESE STEEL

14X:~40x-15-17mm BS:320x-15-17mm CZ:~390x25mm DSZU:390x20mm ECRM:350x25mm IMN:50-560x15mm SS 491:500x10mm other SS:48x42x12mm VS:~380x-18mm

Table with columns: #, Number, Mn, C, P, S, Si, Cu, Ni, Cr, Al, Mo, N, Nb, Sn, V, Other. Rows include DSZU C013, VS LG68, IMZ 199, CZ SP-2B, IRSID 1833, 14X MN1AL, DSZU C02, VS LG67, BS 17, BS 17A, DSZU C011a, DSZU C024, IMZ 198, VS LG66, DSZU C011, 14X MN4AC, SS 495/4, DSZU C023, DSZU C022, DSZU C010, VS LG65, DSZU C021, SS 493/3, 14X MN3T, 14X 15196S, 14X MN2R, BS 19A, DSZU C020, 14X MN5T, 14X MN5U, SS 492/3, 14X MN5V, CZ CM-9B.

* Provisional Analysis ** IRSID 1833 also contains As: 0.0034, Co: 0.0089, Pb: 0.00007, and Ti: 0.0011. Sample size 35 mm Ø x 25 mm.

CRM MANGANESE STEEL SET

AVAILABLE IN SET/6 ONLY

30 mm Ø x 24 mm

Table with columns: Number, C, Mn, P, S, Si, Cu, Ni, Cr, B, Co, Mo, N, Ti, V. Rows include NCS HS11720-6, NCS HS11720-1, NCS HS11720-2, NCS HS11720-3, NCS HS11720-4, NCS HS11720-5.

LOW ALLOY STEEL WITH 0.13 % < C < 0.3 % - CONTINUED ON THE NEXT PAGE

#=Class, where 1=CRM and 2=RM

#	Number	C	Mn	P	S	Si	Cu	Ni	Cr	Al	Als	As	Co	Mo	N	Sn	V
1	IARM 330A	0.299	1.00	(0.005)	(0.001)	0.273	0.074	1.80	0.90	0.045	.	(0.003)	0.0063	0.404	0.0024	0.0039	0.071
1	SRM 1269	0.298	1.35	0.012	0.0061	0.189	0.095	0.108	0.201	0.016	.	.	.	0.036	.	.	0.004
1	12X 352D	0.298	0.627	0.066	0.125	0.338	0.144	0.334	0.423	0.146	.	.	0.0095	0.0504	0.257	0.105	0.0584
1	ECRM 086-1D	0.297	0.879	0.024	0.037	0.206	0.320	0.168	0.150	.	.	0.023	.	.	.	0.026	.
1	12X 16604A *	0.295	0.455	0.006	0.002	0.240	0.135	1.88	1.92	0.013	.	.	0.040	0.34	0.004	0.006	0.007
2	CZ CM-3A	0.295	0.37	0.016	0.0013	0.27	0.16	1.82	1.87	0.05	.	0.005	0.012	0.33	0.007	0.007	0.007
1	VS UG9/10	0.294	0.616	.	(0.003)	0.235	0.169	0.144	0.170	0.280	.	.	.	0.282	0.015	0.0017	1.25
2	HRT FE2000-N	0.294	0.49	0.014	0.007	0.30	0.07	1.96	1.99	0.025	.	.	0.012	0.34	.	.	0.017
1	VS RG27/1	0.290	0.74	0.044	0.0043	0.28	0.208	0.142	1.83	1.07	.	.	0.025	0.191	.	.	0.072
1	IMZ 178	0.29	0.65	0.016	0.003	0.28	0.140	2.09	1.26	0.051	.	.	0.015	0.20	0.0160	0.011	0.011
1	SRM 1225	0.274	0.48	0.007	0.014	0.221	.	0.018	0.91	0.166	.	.	0.004
1	BS HiCal-1	0.271	1.00	(0.007)	0.0007	1.29	0.152	3.28	1.55	0.070	.	0.0022	0.0024	0.379	.	(0.0002)	0.0027
1	IARM 380A	0.268	1.24	0.021	0.025	0.181	0.265	0.114	0.192	0.0029	.	(0.007)	(0.010)	0.059	(0.012)	0.0117	0.0475
2	RM Fe 2/4	0.26	0.61	0.039	0.016	0.30	0.30	0.68	0.70	(0.001)	.	0.04	0.29	0.47	0.020	0.04	0.46
2	BS 69B	0.258	1.28	0.008	0.013	1.27	0.086	1.71	0.28	0.024	.	.	0.035	0.39	0.0057	0.006	(0.002)
1	12X 12750U	0.258	0.510	0.0078	0.0053	0.599	0.106	0.786	0.792	0.253	.	.	0.581	0.088	.	0.110	0.102
1	12X 32550A	0.257	1.350	0.0061	0.0054	1.59	0.108	1.750	0.377	0.0178	.	0.0054	.	0.417	0.0101	0.0206	0.0222
2	BS 6418	0.255	1.42	0.010	0.004	1.54	0.11	1.74	0.34	0.027	.	0.0044	0.010	0.42	0.0066	0.006	0.003
1	IARM 380B	0.243	1.27	0.016	0.027	0.238	0.307	0.182	0.153	(0.0021)	.	0.0058	0.014	0.055	(0.013)	0.0132	0.049
1	IMZ 113	0.24	0.50	0.022	0.025	0.10	0.11	0.13	1.25	0.007	0.004	.	.	0.050	0.0154	.	0.039
1	DSZU C043	0.239	2.18	0.054	0.070	0.114	0.50	2.93	0.44	0.071	.	0.0017	0.005	0.146	0.0100	0.0023	0.366
1	12X 722M24A	0.236	0.510	0.0135	0.0199	0.262	0.200	0.208	3.094	0.0187	.	0.0075	.	0.497	.	0.0116	0.0080
1	VS UG6/5	0.232	0.39	(0.006)	(0.008)	0.51	0.257	(0.2)	1.85	(0.4)	.	.	.	(0.2)	.	.	0.34
1	IARM 229B	0.220	0.858	0.0073	0.0106	0.329	0.0153	0.030	0.017	0.025	.	(0.002)	0.0116	0.495	0.0072	0.0012	0.0059
1	ECRM 197-1D	0.219	0.792	0.0073	0.0232	0.275	0.152	0.148	0.451	0.0313	.	0.0083	0.0135	0.402	0.0114	0.0097	.
2	BS 3961	0.215	0.565	0.016	0.022	0.236	0.133	1.67	0.510	0.022	.	.	(0.010)	0.27	0.0079	(0.008)	(0.002)
2	TL 1668	0.2146	1.643	0.0137	0.0012	1.645	0.0108	0.0164	0.0173	0.0371	.	0.0016	0.0031	(0.0014)	0.0043	0.0047	0.0016
1	BS 8620F	0.212	0.85	0.0090	0.033	0.243	0.234	0.427	0.547	0.040	.	0.0078	0.0089	0.206	0.0106	0.0102	0.0054
1	DSZU C048	0.212	0.467	0.0102	0.0059	0.273	0.262	0.105	0.175	0.0293	.	0.0085	0.015	0.016	(0.011)	0.016	.
1	IPT 502	0.210	0.823	0.018	0.026	0.198	0.121	0.408	0.485	0.024	.	.	0.0083	0.155	0.0069	.	.
1	BS 8620E	0.210	0.800	0.011	0.0238	0.255	0.186	0.564	0.541	0.027	.	0.0044	0.0068	0.223	0.0080	0.011	0.0024
1	VS UG4/11	0.21	0.59	0.024	0.0069	0.285	0.074	0.173	1.21	0.032	.	.	0.0108	0.87	0.020	0.032	0.78
1	IARM 33D	0.209	0.593	0.009	0.023	0.207	0.072	1.78	0.139	0.026	.	0.0035	0.008	0.229	0.0053	0.005	0.002
2	BS 3952	0.208	0.546	0.011	0.021	0.264	0.202	0.112	0.105	0.048	.	.	.	0.519	(0.0005)	.	.
1	ECRM 187-2D	0.2038	1.257	0.0066	(0.0300)	0.2111	0.1288	0.1755	1.132	0.0223	.	0.0057	0.0112	0.0623	0.0105	0.0237	0.0122
1	BS 9325A	0.203	0.969	0.0079	0.0045	0.612	0.163	3.29	1.50	0.0056	.	0.0024	0.0093	0.358	0.0076	(0.0003)	(0.0024)
1	BS 4820A	0.203	0.64	0.008	0.014	0.185	0.212	3.28	0.116	0.029	.	0.006	0.008	0.203	0.0076	0.0097	0.0010
1	SRM 1763a	0.202	1.584	0.0123	0.022	0.633	0.042	0.513	0.498	0.0435	.	0.055	0.093	0.490	(0.0045)	(0.011)	0.307
1	VS RG29/1	0.202	0.29	.	0.0090	0.22	1.25	4.71	0.89	0.0050	.	.	0.115	1.01	.	.	0.40
1	VS RG31/1	0.200	0.191	0.0039	0.0058	0.28	0.39	2.12	1.28	0.30	.	.	0.273	0.30	.	.	0.200

#	Number	C	Mn	P	S	Si	Cu	Ni	Cr	Al	Als	As	Co	Mo	N	Sn	V
---	--------	---	----	---	---	----	----	----	----	----	-----	----	----	----	---	----	---

CRM	LOW ALLOY STEEL WITH EXTENSIVE ANALYSIS	analysis listed in mass %	31-34 mm Ø x 19 mm
------------	--	---------------------------	--------------------

Number	C	Mn	P	S	Si	Cu	Ni	Cr	Al	As	Co	Mo	Nb	Pb	Sn	Ta	Ti	V	W	Zr	
SRM 1264a	0.87	0.25	0.010	0.025	0.067	0.25	0.14	0.06	(0.008)	0.010	0.15	0.49	0.15	0.0022	(0.008)	0.11	0.24	0.10	0.10	0.069	
continued		analysis listed in mass %										analysis listed in mg/kg									
Number	B	Bi	Fe.diff	Ge	Sb	Te	Zn	Ag	Au	Ca	Ce	H	Hf	La	Mg	N	Nd	O	Pd	Se	Sr
SRM 1264a	(0.011)	(0.0009)	[96.7]	(0.003)	0.034	0.00018	(0.001)	(0.2)	1	0.4	2	(<5)	(13)	0.7	1.5	(32)	0.7	(10)	(0.3)	(2.1)	(5)

RM LOW ALLOY STEEL XRF SETPart Number: BS LAS-24 Set of 24 samples, each 35 - 45 mm Ø x 7 mm discs **17025**

Alloy	Number	C	Mn	P	S	Si	Cu	Ni	Cr	Mo	Al	As	Ca	Co	N	Sn	V
300M	BS 4340M	0.414	0.74	0.004	<0.001	1.65	0.134	1.78	0.78	0.35	0.076	0.007	.	0.013	0.0020	0.009	0.056
1345	BS XCCV	0.44	1.75	0.012	0.024	0.28	0.015	0.019	0.041	0.007	0.033	0.0023	.	0.006	0.0056	(0.0004)	(<0.003)
3115	BS XCCT	0.158	0.52	0.005	0.011	0.28	0.027	1.27	0.65	0.020	0.006	0.004	.	0.017	0.0076	(0.002)	0.031
4130	BS 3932	0.321	0.54	0.016	0.018	0.33	0.200	0.19	1.00	0.229	0.020	0.004	0.0043	0.011	0.0070	0.012	0.005
4140	BS 1962	0.41	0.94	0.007	0.011	0.242	0.224	0.16	1.05	0.229	0.018	0.007	.	0.008	0.0095	0.010	0.004
4150 + S	BS 42	0.516	1.24	0.021	0.073	0.235	0.252	0.183	0.67	0.190	0.020	(0.004)	.	0.012	0.0080	0.012	0.003
4330	BS 4330V	0.318	0.91	0.008	0.0009	0.240	0.181	1.91	0.91	0.475	0.021	.	0.0010	0.011	0.0076	0.010	0.094
4340	BS 60E	0.408	0.70	0.012	0.024	0.26	0.153	1.73	0.86	0.249	0.024	0.007	0.0010	0.009	0.0087	0.009	0.004
4615	BS 51E	0.15	0.59	0.010	0.021	0.28	0.22	1.75	0.14	0.21	0.028	.	.	0.035	0.0086	0.010	(0.0011)
4620	BS 4620	0.189	0.57	0.006	0.018	0.25	0.216	1.75	0.072	0.24	0.032	(0.0084)	(0.0001)	0.012	0.0078	0.013	(0.0008)
4820	BS 4820	0.188	0.57	0.010	0.025	0.25	0.11	3.29	0.12	0.21	0.020	0.005	0.0046	0.008	0.0079	(0.008)	(0.002)
6150	BS 43A	0.491	0.811	0.008	0.026	0.252	0.184	0.242	0.93	0.059	0.003	.	.	0.008	0.0074	0.011	0.148
8620	BS 1931	0.194	0.84	0.007	0.018	0.235	0.116	0.42	0.50	0.168	0.021	0.007	(0.0008)	0.012	0.0079	0.007	0.002
8822	BS 8822	0.228	0.92	0.011	0.025	0.26	0.17	0.47	0.52	0.34	0.022	0.007	(0.0004)	0.019	0.0085	0.011	0.003
8740	BS 67B	0.40	0.94	0.007	0.020	0.23	0.19	0.53	0.51	0.22	0.024	.	.	0.011	0.0078	0.009	(0.002)
9310	BS 58D	0.127	0.45	0.010	0.005	0.32	0.156	3.02	1.35	0.14	0.042	.	.	0.009	0.0147	0.012	0.005
9325	BS 9325	0.25	0.91	0.008	0.007	0.32	0.13	3.29	1.48	0.31	0.030	(0.004)	0.0049	0.010	0.0089	0.009	0.004
P-20	BS 55E	0.307	0.72	0.014	0.024	0.60	0.032	0.053	1.66	0.40	(0.004)	.	.	(0.005)	0.0096	0.002	0.019
AMS 6418	BS 69B	0.2258	1.28	0.008	0.013	1.27	0.086	1.71	0.28	0.39	0.024	.	.	0.035	0.0057	0.006	(0.002)
A193	BS 4942	0.414	0.56	0.015	0.021	0.22	0.165	0.16	0.97	0.54	(0.004)	0.005	0.0006	0.010	0.0080	0.014	0.28
A485-1	BS A485-1	0.98	1.10	0.019	0.004	0.62	0.16	0.13	1.07	0.029	0.017	0.006	.	0.010	0.0060	0.011	0.003
E52100	BS 53E	1.08	0.37	0.007	0.012	0.24	0.11	0.26	1.45	0.10	0.003	.	.	0.011	0.0086	0.005	0.004
Nitriding	BS 68C	0.38	0.60	0.018	0.008	0.305	0.178	0.166	1.77	0.36	1.06	(0.004)	(0.0002)	0.011	0.0045	0.008	0.007
LF 3	BS LF 3	0.183	0.52	0.006	0.018	0.206	0.080	3.36	0.098	0.056	0.017	0.006	(0.0001)	0.056	0.0054	0.006	(0.002)

Alloy	Number	C	Mn	P	S	Si	Cu	Ni	Cr	Mo	Al	As	Ca	Co	N	Sn	V
-------	--------	---	----	---	---	----	----	----	----	----	----	----	----	----	---	----	---

RM TOOL STEEL XRF SETPart Number: BS TS-18 AVAILABLE INDIVIDUALLY **17025** ~7 mm discs

Grade	Number	C	Mn	P	S	Si	Cu	Ni	Cr	Mo	Al	W	V	Co	N
A-2	BS 36C	0.96	0.46	0.023	0.027	0.31	0.18	0.19	5.01	0.99	.	(0.04)	0.11	0.03	.
A-10	BS A-10	1.41	1.75	0.016	0.022	1.15	0.16	1.82	0.24	1.53	0.006	<0.005	(0.004)	(0.010)	.
D-2	BS 37D	1.54	0.28	0.021	0.015	0.29	0.063	0.21	11.07	1.09	.	0.16	0.80	0.07	0.016
H-10	BS 49	0.36	0.33	0.014	0.015	0.92	0.072	0.20	3.51	2.41	0.004	0.31	0.62	2.00	0.0186
H-11	BS TH11	0.423	0.31	0.016	0.005	0.88	0.041	0.11	5.04	1.27	.	(0.01)	0.46	(0.008)	.
H-12	BS TH12	0.372	0.40	0.020	0.005	0.92	0.064	0.16	5.02	1.41	.	1.06	0.62	0.07	.
H-13	BS 34D	0.395	0.38	0.017	0.005	1.06	0.049	0.10	5.15	1.24	.	0.10	0.94	0.031	.
L-6	BS 39B	0.67	0.62	0.009	0.019	0.214	0.163	1.45	0.79	0.17	(0.011)	.	(0.01)	(0.02)	.
M-1	BS TM1	0.86	0.23	0.007	0.012	0.46	0.054	0.057	3.72	8.4	.	1.7	1.05	0.45	.
M-2	BS 32C	0.84	0.29	(0.018)	0.0010	0.29	0.13	0.35	3.98	4.85	(0.02)	6.3	2.03	0.31	.
O-1	BS 35D	0.879	1.13	0.021	0.024	0.22	0.141	0.132	0.495	0.035	(0.005)	0.46	0.181	0.012	.
O-6	BS 41	1.41	0.89	0.013	0.011	1.02	0.038	0.15	0.22	0.23	(0.007)	0.035	0.046	.	.
S-1	BS 33E	0.49	0.29	0.022	0.005	0.20	0.038	0.08	1.25	0.045	.	2.75	0.19	0.006	.
S-5	BS 38C	0.60	0.81	0.011	0.012	2.08	0.26	0.24	0.28	0.41	0.015	0.004	0.214	0.036	0.0081
S-7	BS TS7	0.529	0.70	0.016	0.010	0.27	0.05	0.10	3.18	1.34	.	0.19	0.35	0.043	.
T-1	BS 30D	0.745	0.348	0.029	0.0010	0.301	0.116	0.191	3.93	0.342	0.0123	17.73	1.077	0.101	0.0168
	BS 10V	2.46	0.52	0.019	0.079	0.89	0.076	0.08	5.41	1.30	<0.002	0.013	9.50	0.009	0.064
HP9-4-30	BS 9-4-30	0.30	0.22	0.008	<0.001	0.06	0.09	7.25	1.00	1.00	0.004	0.01	0.085	4.40	0.0015

Grade	Number	C	Mn	P	S	Si	Cu	Ni	Cr	Mo	Al	W	V	Co	N
-------	--------	---	----	---	---	----	----	----	----	----	----	---	---	----	---

ALUMINUM IN STAINLESS AND HIGH ALLOY STEEL

= Class, where 1 = CRM and 2 = RM

Table with 17 columns: #, Number, Al, Ni, Cr, C, Mn, P, S, Si, Cu, Co, Mo, N, Nb, Ti, V. Rows include ECRM 299-1D, IMZ 158, 13X PH17700A, BS 192, CT X92834, IARMPe177PH-18, 13X PH13800A, BS 184A, BS 192A, and IARM 152C.

Table with 10 columns: Number, As, B, Ca, O, Sn, Ta, W, Zr, Units. Rows include ECRM 299-1D, IMZ 158, 13X PH17700A, BS 192, CT X92834, IARM Fe177PH-18, 13X PH13800A, BS 184A, BS 192A, and IARM 152C.

CRM BORON IN STAINLESS STEEL

35 mm x 45 mm x 16 mm

Table with 16 columns: Number, B, C, Mn, P, S, Si, Cu, Ni, Cr, Al, Mo, Ti, V, W. Rows include DSZU C61, DSZU C60, DSZU C62, and DSZU C63.

CALCIUM IN STAINLESS AND HIGH ALLOY STEEL

= Class, where 1 = CRM and 2 = RM

Table with 17 columns: #, Number, Ca, Ni, Cr, C, Mn, P, S, Si, Cu, Co, Mo, N, Nb, V, W. Rows include BS Ca304-4, BS CA304-1, 13X 14923A, ECRM 379-1D, 13X 31603C, BS 193, BS SS4952, BS 82E, BS 9942, BS 9842, ECRM 272-1D, BS 94C, BS 82D, BS 87F, and BS SS3951.

Table with 10 columns: Number, Al, As, B, O, Pb, Sb, Sn, Ti, Zn, Units. Rows include BS Ca304-4, BS CA304-1, 13X 14923A, ECRM 379-1D, 13X 31603C, BS 193, BS SS4952, BS 82E, BS 9942, BS 9842, ECRM 272-1D, BS 94C, BS 82D, BS 87F, and BS SS3951.

MANGANESE STAINLESS STEEL

= Class, where 1 = CRM, 2 = RM, and 3 = RM with no uncertainties

* Provisional Analysis

Table with 16 columns: # Number, Mn, Ni, Cr, C, P, S, Si, Cu, Mo, Al, Co, N, Nb, V, W. Rows include various steel grades like 1 IARM 294A, 1 IARM 295A, etc.

Table with 12 columns: Number, As, B, Ca, O, Pb, Sb, Sn, Ta, Te, Ti, Zr, Units. Rows include various steel grades like IARM 294A, IARM 295A, etc.

CRM NICKEL BINARIES

analysis listed in mass %

-40 mm Ø x -15 mm

Table with 16 columns: Number, Ni, C, Mn, P, S, Si, Cu, Cr, Al, Co, N, Mg, Mo, Nb, Ti, W. Rows include grades like 14X FeNi50C, 14X FeNi45C, etc.

STAINLESS STEEL WITH C < 0.05 % CONTINUED ON THE NEXT PAGE

= Class, where 1 = CRM, 2 = RM, and 3 = RM with no uncertainties analysis listed in mass %

Table with columns: #, Number, C, Mn, P, S, Si, Cu, Ni, Cr, Co, Mo, N, Nb, Ti, V, W. It lists chemical compositions for various stainless steel grades, including ECRM 269-1D, IARM 8H, IMZ 150A, BS 188B, IARM 4G, KUT S15, NCS 500HA, BS 9812, SRM 1155a, BS 2205, BS 304A, BS 316E, IARM 162C, BS 304, BS 179C, BS 179B, IARM 163E, BS SSI962, IARM 354A, CT IS0123A, I13X 46500A, and ECRM 284-3D.

STAINLESS STEEL WITH C < 0.05 % analysis listed in mass %

CONTINUED FROM THE PREVIOUS PAGE

Table with columns: Number, Al, As, B, Ca, O, Pb, Sb, Sn, Ta, Units. Rows include materials like ECRM 269-1D, IARM 8H, IARM 6I, IARM 5I, ECRM 289-1D, IMZ 150A, IARM 4F, IARM 6J, IARM 4E, CZ SL-3A, KUT S15, IARM 8i, I3X 14216P, IARM 8G, VS LG70, NILAB 500HA D, I3X 12538T, NCS HS41751, NCS HS28741, BS 321C, IRSID 1821, IMZ 153A, I3X 14207L, ECRM 292-1D, I3X 66286A, BS 184A, IARM 21C, SS 462/1, SRM C1151a, I3X 31400A, BS 9812, HRT FE2014-H, BS 317L, VS LG75, BS 9811.

Table with columns: Number, Al, As, B, Ca, O, Pb, Sb, Sn, Ta, Units. Rows include materials like SRM 1155a, HRT FE2013-H, I3X 32900A, IARM 162D, IARM Fe304L-18, IARM 153C, ECRM 297-1D, NCS HS28746, BS 9942, BS 9941, IARM Fe316L-18, IRSID 1820, NCS HS28742, IARM 301B, I3X NSA8B, I3X 30403A, I3X NSA9A, SS 463/1, BS 2205, I3X NSA12A, BS 304A, IARM 212D, I3X NSA13A, BS 316D, BS 316E, IARM 162C, I3X FV520BA, HRT FE2000-H, BS 304, VS LG33/5, IARM Fe2205-18, NCS HS28745, BS 304B, IARM 239C, IARM FeZ100-18, BS 179C, BS 179B, ECRM 287-1D, I3X 34700A, I3X NSA11A, CZ SL-2A, IARM 319A, ECRM 298-1D, SS 466/2, BS SS3951, IARM 163E, HRT FE2016-H, SS 461/1, BS SS1961, JK 27B, BS SS1962, IARM 354A, CT ISO123A, I3X 46500A, ECRM 284-3D.

Number Al As B Ca O Pb Sb Sn Ta Units

HIGH ALLOY STEEL

= Class, where 1 = CRM, 2 = RM, and 3 = RM with no uncertainties

Main table with columns: #, Number, C, Mn, P, S, Si, Cu, Ni, Cr, Al, Co, Mo, N, Nb, Ti, V. Contains multiple rows of steel grades and their chemical compositions.

Secondary table with columns: Number, As, B, Ca, Ce, Mg, O, Se, Sn, Ta, W, Zr, Units. Provides additional specifications and units for various steel grades.

CAST IRON WITH MAGNESIUM - continued from the previous page

sizes shown below

Number	As	B	Bi	Ca	Fe	La	Nb	Pb	Sb	Se	Sn	W	Zr	Other
CZ 20034 17b	0.008	(0.0002)	(0.001)	(0.002)	.	.	(0.002)	0.004	.	.
CZ 20034 17a	0.007	(0.0002)	(0.001)	(0.002)	.	.	(0.002)	0.004	.	.
CZ 20034 17c	0.0005	(0.0006)	(0.002)	(0.002)	.	.	(0.002)	0.004	.	.
Y 2863-11	(0.022)	0.053	0.33	(0.0057)	(0.174)	.	(0.108)	0.010	.	.
CZ SPL17 43a	.	0.0014	(0.002)	.	.	N:0.0045	0.008	0.014	(0.004)	.	0.067	0.038	Zn:0.013	.
CZ SPL17 42A	.	0.0036	(0.002)	.	.	N:0.0027	0.045	0.020	0.015	.	0.027	0.020	Zn:0.013	.
Y 451045
CZ 02033 2g	.	0.0023	0.006	0.008	0.029	.	0.015	(0.004)	.	Zn: 0.020
Y 2863-12	(0.0097)	0.0078	0.21	(0.056)	(0.471)	.	(0.307)	0.13	.	.
CZ 02033 2f	.	0.0020	(0.002)	0.005	0.028	.	0.014	(0.003)	(0.005)	Zn: 0.018
Y 4510251-16	.	0.0044	.	.	.	0.016	0.030	.	.	.
VS ChG 25	0.052	.	0.017	.	.	.
Y 451047	.	0.31	0.012
SCRM 668/13
CZ 02033 3c	(0.007)	0.0044	(0.002)	0.005	.	.	0.009	(0.003)	.	.
SCRM 666/12
SCRM 670/20
CZ 20034 15a	(0.003)	0.0041	0.012	0.058	.	0.005	0.006	.	.
CZ SPL17 31A	.	(0.0004)	.	.	.	N:0.0042	(0.003)	(0.005)	.	.
11X SG1A	0.0021	Zn:0.041	-50Ø x ~15mm
CZ 20034 15b	(0.003)	0.0033	0.010	0.058	.	0.005	0.007	.	.
CZ SPL17 34A	.	0.0076	(0.005)	.	.	N:0.0041	0.014	(0.006)	0.007	.	0.051	0.016	Zn:0.007	.
11X SG2A	0.0022	Zn:0.040	-50Ø x ~15mm
Y 451042
CZ 02033 2e	.	0.0024	0.005	(0.004)	0.028	.	0.015	0.008	.	Zn: 0.025
CZ 20034 15c	(0.003)	0.0057	0.008	0.056	.	0.006	0.004	.	.
CZ SPL17 32A	.	(0.0005)	(0.007)	.	.	N:0.0042	.	0.022	0.023	.	(0.012)	(0.008)	Zn:0.011	.
CZ 02033 3b	.	0.0042	0.001	0.009	.	.	0.019	.	.	.
CZ SPL17 40A	.	0.0008	.	.	.	N:0.0063	(0.004)	.	Zn:(0.002)	.
VS ChG 28	0.015	.	0.0017	.	.	.
CZ 20034 14a	0.036	0.0096	0.007	(0.005)	0.015	.	0.027	(0.005)	0.011	Zn: 0.010
CZ 20034 14b	0.034	0.0100	0.007	(0.005)	0.016	.	0.028	(0.005)	0.014	Zn: 0.009
BS 286AF	(0.01)	0.0085	.	(0.001)	[91.4]	.	(0.003)	.	.	.	(0.004)	(0.008)	(0.007)	17025
CZ 02033 3d	(0.018)	0.0071	(0.002)	0.005	0.007	.	0.009	.	.	.
CZ 02033 1f	.	0.0043	(0.001)	0.009	.	.	0.030	0.022	(0.008)	.

Number	As	B	Bi	Ca	Fe	La	Nb	Pb	Sb	Se	Sn	W	Zr	Other
CZ 02033 1g	.	0.0034	0.005	0.016	.	.	0.028	0.015	(0.004)	.
CZ 20034 13c	(0.002)	(0.002)	.	0.014	(0.003)	(0.02)	.
CZ 02033 1e	.	0.0036	(0.002)	0.007	.	.	0.032	0.021	(0.007)	Zn: 0.009
CZ 20034 14c	0.035	0.0123	0.020	.	0.025	(0.003)	0.013	Zn: 0.010
CKD 247C (U)	0.012	0.000	0.007	Zn:0.018	(92.6)	0.023	0.048	(0.002)	0.005	(0.000)	0.040	(0.002)	0.009	last
CZ 20034 13a	(0.002)	(0.002)	.	0.014	(0.003)	0.029	.
CZ 20034 13b	(0.002)	(0.002)	.	0.014	(0.003)	0.023	.
CKD 247B	0.010	0.000	0.007	.	(92.7)	0.019	0.052	(0.002)	0.005	(0.000)	0.038	(0.002)	0.009	Zn: 0.012
VS ChG 24	0.009	.	0.077	.	.	.
Y 2863-9	(0.041)	0.153	0.11	(0.093)	(0.116)	.	(0.124)	.	.	.
VS ChM5/1
SCRM 667/13
VS ChM6/1
VS ChM8/1
CZ SPL17 36A	.	0.022	(0.007)	.	.	N:0.0038	.	0.016	.	.	(0.002)	.	Zn:(0.002)	.
VS ChM13
SCRM 669/14
CKD 245B(U)	0.006	0.003	0.009	.	(92.5)	(0.00)	0.029	0.020	0.052	(0.029)	0.076	0.020	0.004	.
CKD 245A	0.002	0.007	0.008	.	(92.7)	(0.00)	(0.001)	0.015	0.050	(0.036)	0.076	0.021	0.003	last
VS ChG 26	0.031	.	.	.
VS ChM10
SRM C1137a
CZ SPL17 33A	.	0.0064	(0.002)	.	.	N:0.0043	0.032	0.010	0.019	.	0.039	0.079	Zn:0.009	.
CKD 246B	0.003	0.000	(0.001)	.	(92.6)	0.003	(0.001)	(0.002)	0.004	(0.00)	0.002	(0.011)	0.000	last
SRM C2424	.	(0.002)	.	.	.	0.0011
VS ChM9
VS ChM11
Y 2863-7	(0.021)	0.100	0.041	(0.0025)	(0.010)	.	(0.0073)	.	.	.

BS: 28-34 mm Ø x 17-35 mm

CKD 24x: 37 mm x 37 mm x ~13-20 mm
CZ: 40 mm Ø x 18 mmSCRM: 48 mm x 42 mm x 12 mm
SRM: 32 mm Ø x 19 mmVS: ~39 mm Ø x ~39 mm
Y: 30 mm Ø x 30 mm

RM CAST IRON WITH YOUR CHOICE OF MAGNESIUM LEVELS each unit: 2 pcs mushroom 43 mm Ø x 5 mm

Number	C	Mn	P	S	Si	Cu	Ni	Cr	Mg	Al	Ce	Co	Sn	Ti	V	Zn	Other
CTIF 6134	3.70	0.25	0.030	<0.01	1.60	0.020	2.00	0.040	*	.	<0.03
CTIF 8532	3.7	0.288	0.05	.	2.6	0.0443	0.888	0.04	*	.	<0.025	.	0.0303	0.02	0.07	.	.
CTIF 6135	3.6	0.38	0.0130	(0.003)	0.9	0.0219	1.98	0.04	*	(0.006)	.	0.037	.	0.007	0.0155	.	.
CTIF 4500	3.38	0.60	0.059	(0.002)	1.97	.	1.45	0.014	*	0.033	0.023	0.065
CTIF 5781	3.35	0.26	0.030	(0.0025)	2.50	0.0061	0.83	0.040	*	.	.	(0.004)	.	0.0208	0.0150	.	.
CTIF 4497	3.12	0.605	0.043	(-0.002)	2.66	0.048	1.90	0.040	*	.	.	.	0.094	0.031	0.44	.	.
CTIF 7160	3.1	0.57	0.05	(0.001)	2.4	0.08	1.0	(0.1)	*	(0.02)	0.02	0.09	.	0.013	0.018	.	As: 0.009
CTIF 5037	3.04	0.76	0.043	(0.0025)	3.40	.	0.64	0.014	*	0.029	.	.	.
CTIF 3601B	3.0	0.35	0.037	(0.005)	2.1	0.019	1.08	0.029	*	.	<0.01	.	.	0.016	(0.005)	<0.05	Pb:(<0.002)
CTIF 8018	3.0	0.7	0.07	(0.0015)	3.0	0.08	0.127	0.09	*	0.02	(<0.02)	.	0.07	0.06	0.39	.	Sb:(0.01)
CTIF 6736	2.8	0.65	0.012	(0.002)	1.6	0.0258	1.7	0.03	*	0.008	(0.03)	.	.
CTIF 5783	2.55	0.2	0.0266	(0.003)	2.3	0.110	1.23	0.05	*	.	.	0.0074	.	0.015	0.0127	.	As: 0.0016

Magnesium level available in the below samples. X = available

For Mg Range	Order Suffix	3601B	4497	4500	5037	5781	5783	6134	6135	6736	7160	8018	8532
<0.005	<0.005	X	.	.	.	X	X	X	X
0.005 - 0.009	0.005	X	.	.	X	X	X	.	.	X	.	X	X
0.010 - 0.014	0.01	.	.	.	X	X	X	.	.	X	X	X	X
0.015 - 0.024	0.02	X	.	.	X	X	X	.	X	X	X	X	X
0.025 - 0.034	0.03	.	.	.	X	.	X	.	X	X	X	X	X
0.035 - 0.044	0.04	.	.	.	X	.	X	.	X	X	X	X	X
0.045 - 0.054	0.05	.	.	.	X	.	X	.	X	X	X	X	X
0.055 - 0.064	0.06	.	X	X	.	.	X	.	X	X	X	X	X
0.065 - 0.074	0.07	.	X	X	.	.	X	.	X	X	X	X	X
0.075 - 0.084	0.08	.	X	X	.	.	X	X	X	X	X	X	X
0.085 - 0.094	0.09	.	X	X	.	.	X	X	X	X	X	X	X
0.095 - 0.104	0.10	X	X	X	X	X	X	X
0.105 - 0.114	0.11	X	X	X	X	X	X	X
0.115 - 0.124	0.12	X	X	X	X	X	X	X
0.125 - 0.134	0.13	X	X	X	X	X	X	X
0.135 - 0.144	0.14	X	X	X	X	X	X	X
0.145 - 0.154	0.15	X	.	.
0.155 - 0.164	0.16	X	.	.
0.165 - 0.174	0.17	X	.	.
0.175 - 0.184	0.18	X	.	.

The above cast iron samples can be ordered with your choice of Magnesium. Examples:
to order CTIF 6736 with Mg 0.035 - 0.044 then order as part number CTIF 6736 0.04
to order CTIF 8018 with 0.08 % Mg, order as part number CTIF 8018 0.08

CRM WHITE IRON analysis listed in mass %

Number	C	Mn	P	S	Si	Cu	Ni	Cr	Co	Mo	Nb	Ti	V
BS WI-2	3.61	0.80	0.22	0.056	0.52	0.0124	0.254	0.229	0.0118	0.219	0.128	0.089	0.215
SRM CII45	2.92	0.187	0.215	0.191	0.271	0.46	0.62	0.63	0.058	0.48	.	0.012	0.112
VS Chg 8/6	(2.7)	1.51	0.040	0.013	3.93	.	.	(0.2)	(0.3)
VS Chg 10/6	(2.7)	0.86	0.103	0.0072	2.86	.	.	(0.2)	(0.3)
VS Chg 11/6	(2.7)	0.312	0.23	0.039	1.79	.	.	(0.2)	(0.3)
VS Chg 9/6	(2.7)	0.155	0.38	0.071	0.80	.	.	(0.2)	(0.3)
BS WI-1	1.75	0.24	0.051	0.114	1.90	0.027	0.053	0.048	0.0074	0.0103	0.027	0.020	0.008

17025

17025

Number	Al	As	B	Bi	Ca	Fe	Mg	Pb	Sb	Sn	W	Zr	Units
BS WI-2	0.0192	0.0016	0.0008	.	(0.00013)	[93.6]	(0.0002)	0.013	0.023	0.0042	0.023	0.0045	~35 mm Ø x ~30 mm
SRM CII45	(0.04)	(0.03)	(0.02)	(<0.01)	.	.	.	0.0012	(0.04)	(0.10)	.	(0.002)	32 mm Ø x 19 mm
VS Chg 8/6	.	(0.003-0.006)	~38 mm Ø x ~38 mm
VS Chg 10/6	.	(0.003-0.006)	~38 mm Ø x ~38 mm
VS Chg 11/6	.	(0.003-0.006)	~38 mm Ø x ~38 mm
VS Chg 9/6	.	(0.003-0.006)	~38 mm Ø x ~38 mm
BS WI-1	0.075	0.0067	0.0032	.	0.0005	[95.5]	0.0009	0.115	.	0.0081	0.185	0.0034	~35 mm Ø x ~30 mm

CAST IRON WITH C > 2.75%

CONTINUED ON THE NEXT PAGE

= Class, 1 = CRM and 2 = RM

Table with columns: #, Number, C, Mn, P, S, Si, Cu, Ni, Cr, Al, Co, Mo, Nb, Sn, Ti, V, Zn. Rows 1-48 listing various iron grades with their chemical compositions.

Table with columns: #, Number, C, Mn, P, S, Si, Cu, Ni, Cr, Al, Co, Mo, Nb, Sn, Ti, V, Zn. Rows 49-103 continuing the list of iron grades and their compositions.

CAST IRON WITH C < 2.75%

= Class, 1 = CRM and 2 = RM

analysis in mass % except * = mg/kg

#	Number	C	Mn	P	S	Si	Cu	Ni	Cr	Al	Co	Mo	Nb	Sn	Ti	V	Zn
1	11X C5Y *	2.75	0.75	0.09	0.09	1.9	0.42	1.2	0.94	0.06	0.045	0.53	0.015	0.03	0.09	0.075	0.01
1	VS ChL4/1	2.69	1.37	0.054	0.027	1.99	0.161	0.725	0.92	.	0.017	0.116	.	.	0.11	0.258	.
1	SRM C1291	2.67	1.14	0.028	0.032	1.34	0.26	4.34	2.78	.	.	0.32	.	.	.	0.031	.
1	VS ChG 6/9	2.65	0.83	0.54	0.027	0.53	0.34	.	0.241	0.028	0.130	.
1	DSZU CH01	2.61	0.258	0.012	0.0045	1.95	0.097	0.072	0.88	0.079	(0.06)	0.070	(0.010)	(0.05)	0.132	0.134	.
1	VS ChG 40	2.59	1.56	0.059	0.019	1.60	0.98	1.61	1.47	.	.	0.229	.	.	0.18	0.325	.
1	11X C8V *	2.58	0.40	1.0	0.21	1.60	0.31	0.28	0.145	0.085	0.130	0.15	0.02	0.105	0.24	0.063	0.006
1	SCRM 661/4	2.56	0.30	0.84	0.068	2.96	.	.	(1)
1	SCRM 656/9	2.537	0.820	0.060	0.108	2.504
1	11X C7N	2.51	1.942	0.0266	0.0101	0.829	0.075	0.0303	0.507	0.0127	0.0335	0.071	0.051	0.0114	0.022	0.036	0.0226
1	Y 2863-2	2.50	1.83	0.069	0.026	3.14	0.020	3.73	0.136	.	.	0.096	.	.	0.066	0.61	.
1	VS ChG 37	2.49	0.92	0.038	0.046	2.03	0.512	0.90	0.82	.	.	0.55	.	.	0.092	0.227	.
1	SCRM 673/1	2.455	0.123	0.317	0.0112	1.702	.	0.103	0.0423	0.0287	0.053	0.0092	.	0.0206	0.0718	0.052	.
1	CZ 20034 11b	2.44	0.382	0.271	0.140	3.67	0.130	0.082	1.178	0.067	0.005	1.144	.	0.074	0.041	0.182	.
1	VS ChG 38	2.43	0.302	0.386	0.084	2.30	1.20	0.162	1.98	.	.	0.046	.	.	0.105	0.119	.
1	CZ 02033 5b	2.42	0.812	0.033	0.073	1.32	0.031	0.188	0.061	0.062	.	0.089	.	.	0.007	0.005	.
1	VS ChL2/1	2.38	1.03	0.054	0.023	0.55	0.97	0.114	0.077	.	0.013	0.012	.	.	0.009	0.050	.
1	CZ 20034 11a	2.37	0.343	0.271	0.163	3.31	0.086	0.084	1.219	0.046	0.005	1.130	.	0.070	0.028	0.184	.
1	SCRM 652/4	2.34	1.19	0.071	0.129	0.878	.	.	(1)
1	DSZU CH07	2.33	1.36	0.090	0.064	3.01	0.35	0.403	0.34	0.036	.	0.66	(0.08)	(0.07)	0.150	0.52	.
1	CZ 02033 5a	2.30	0.804	0.035	0.100	1.26	0.014	0.096	0.054	0.060	.	0.100	.	.	0.008	0.005	.
1	CZ 02033 5c	2.30	0.704	0.027	0.091	1.40	0.013	0.188	0.085	0.103	0.013	0.104	.	(0.002)	0.008	0.054	.
1	SCRM 675	1.92	1.81	0.045	0.072	1.29	0.012	0.210	0.080	0.007	0.023	0.034	.	0.0062	0.007	0.178	0.0006
1	SCRM 655/4	1.90	0.44	0.180	0.076	2.110	.	.	(1)
1	CKD 242A	1.84	0.060	0.039	0.036	3.06	0.055	0.039	0.029	0.036	0.002	1.13	0.013	0.010	0.19	0.37	(0.00)
1	Y 2863-1	1.78	2.41	0.021	0.009	3.62	0.022	4.77	0.031	.	.	0.038	0.0052	.	0.068	1.13	.

#	Number	C	Mn	P	S	Si	Cu	Ni	Cr	Al	Co	Mo	Nb	Sn	Ti	V	Zn
---	--------	---	----	---	---	----	----	----	----	----	----	----	----	----	----	---	----

Number	As	B	Bi	Ca*	Ce	Mg	N	Pb	Sb	Se	Te	W	Zr	Units
11X C5Y *	0.02	0.005	* Provisional Analysis				0.01	0.005	0.03	0.006	.	0.005	0.001	~40 mm Ø x ~15 mm
VS ChL4/1	~38 mm Ø x ~38 mm
SRM C1291	32 mm Ø x 19 mm
VS ChG 6/9	(0.003)	~38 mm Ø x ~38 mm
DSZU CH01	.	(0.03)	.	(10)	.	(0.0005)	(0.02)	.	~30 mm x ~35 mm
VS ChG 40	.	.	.	* Provisional Analysis				.	0.065	0.020	0.005	0.026	~40 mm Ø x ~40 mm	
11X C8V *	0.078	0.035	0.01	~40 mm Ø x ~15 mm
SCRM 661/4	48 mm x 42 mm x 12 mm
SCRM 656/9	48 mm x 42 mm x 12 mm
11X C7N	0.0159	0.0097	0.0137	.	.	.	0.025	0.0106	0.025	.	.	0.066	(0.003)	40 mm Ø x 15 mm
Y 2863-2	.	0.0025	30 mm Ø x 30 mm
VS ChG 37	~40 mm Ø x ~40 mm
SCRM 673/1	40 mm x 37 mm x 10 mm
CZ 20034 11b	0.005	0.0032	0.007	0.007	0.011	.	.	(0.005)	0.007	40 mm Ø x 18 mm
VS ChG 38	~40 mm Ø x ~40 mm
CZ 02033 5b	.	0.014	0.020	40 mm Ø x 18 mm
VS ChL2/1	~38 mm Ø x ~38 mm
CZ 20034 11a	0.005	0.0018	0.011	0.017	0.013	.	.	(0.005)	0.007	40 mm Ø x 18 mm
SCRM 652/4	48 mm x 42 mm x 12 mm
DSZU CH07	.	(0.13)	.	(10)	.	(0.01)	~35 mm x ~35 mm
CZ 02033 5a	40 mm Ø x 18 mm
CZ 02033 5c	.	0.0078	0.007	(0.002)	(0.010)	.	(0.009)	40 mm Ø x 18 mm
SCRM 675	0.035	40 mm x 37 mm x 10 mm
SCRM 655/4	48 mm x 42 mm x 12 mm
CKD 242A	0.015	0.008	(0.015)	.	(0.00)	0.000	.	(0.012)	0.007	.	(0.08)	(0.007)	(0.000)	37mm x 37mm x 18 or 20mm
Y 2863-1	.	0.0024	30 mm Ø x 30 mm

Number	As	B	Bi	Ca*	Ce	Mg	N	Pb	Sb	Se	Te	W	Zr	Units
--------	----	---	----	-----	----	----	---	----	----	----	----	---	----	-------

RM CAST IRON MUSHROOMS CONTINUED ON THE NEXT PAGE

typical analysis

each unit is one pair of 43 mm Ø x 5 mm mushroom discs

Number	C	Si	Mn	P	S	Cu	Ni	Cr	Al	Co	Mo	Sn	Ti	V	W
CTIF F019	4.04	1.05	1.05	0.032	0.057
CTIF F012	3.71	1.86	0.44	0.038	0.004	0.77	.	.	0.008	.	.	0.011	.	.	.
CTIF F08	3.6	1.04	0.37	0.107	0.021	0.215	0.30	0.30	.	.	0.005	0.05	0.055	0.014	.
CTIF FCR7	3.59	1.07	0.365	0.099	0.0427	0.704	0.947	33.65	.	.	2.62
CTIF F06	3.49	0.55	0.715	0.87	0.106	0.120	0.128	0.45	.	.	0.202	0.039	0.080	0.110	.
CTIF F010	3.5	0.67	1.05	0.20	0.101	0.114	0.118	0.38	.	.	0.20	.	0.1	0.08	.
CTIF NH3	3.47	0.85	0.175	0.36	0.024	0.031	2.53	1.76	.	.	0.73
CTIF F011	3.45	1.57	0.685	0.052	0.103	0.211	0.235	0.34	.	(0.013)	0.225	0.066	0.078	0.113	.
CTIF F018	3.43	1.24	0.590	1.34	0.136	0.049	0.140	0.170	.	.	0.179	0.046	0.057	0.102	.
CTIF NH7-1	3.43	0.95	0.63	0.035	0.022	0.105	5.53	9.02
CTIF FCR5	3.43	0.35	0.62	0.052	0.0175	1.02	2.69	28.5	.	.	3.27
CTIF FT2-1	3.39	1.415	0.78	0.045	0.095	0.01	0.070	0.030	0.100	0.405	.
CTIF NiMo1	3.22	2.585	0.200	0.0590	(0.0030)	0.376	2.165	0.0353	.	0.0205	0.457	0.0020	0.0190	0.0169	.
CTIF FL7	3.22	2.550	0.100	1.34	0.048	0.351	0.232	0.043	.	.	0.335	0.0291	0.0525	0.0796	.
CTIF FT3	3.2	1.55	0.345	0.063	0.051	0.015	0.092	0.685	0.2	0.016	.
CTIF NH7-2	3.2	1.20	0.91	0.034	0.0120	0.108	5.53	8.87
CTIF F05	3.2	0.7	0.2	1.30	0.027	0.12	0.172	0.3	.	.	0.41	0.109	0.04	0.14	.
CTIF NH9	3.13	1.24	0.65	0.087	0.029	0.203	4.11	11.70	.	.	0.059
CTIF NR Cu1	3.12	1.465	0.172	0.090	0.99	4.95	18.02	0.994	(0.095)
CTIF FL6	3.1	1.4	0.6	0.012	0.18	0.079	1.03	0.167	.	0.028	0.50	0.005	0.15	0.033	.
CTIF FL10	3.1	1.3	0.85	0.323	0.066	0.104	0.10	(0.07)	(0.03)	.	0.0335	0.028	0.045	0.048	(0.02)
CTIF FFA 1	3.090	0.0300	0.100	0.0022	0.0009	0.0622	0.0450	0.0710	.	0.0097	0.0109	.	0.0010	0.0010	.
CTIF NR 8S	3.05	1.41	4.39	0.124	.	0.071	14.20	0.191
CTIF F017	3.01	2.48	0.475	0.470	0.168	(0.006)	0.021	(0.016)	.	0.032	.	0.024	0.032	0.018	.
CTIF FAL 1	3.0	1.0	0.2	0.04	<0.001	0.2	0.06	0.04	2.1	.	0.015	.	0.01	.	.
CTIF NR 3L	2.99	3.05	0.72	0.088	0.052	0.26	21.58	2.97
CTIF NH1	2.98	1.35	0.90	0.060	0.105	1.99	1.38	0.83	.	.	1.45
CTIF NH8	2.98	0.80	0.57	0.052	0.076	0.065	8.16	5.03	.	.	0.125
CTIF NR 3S	2.92	2.91	0.77	0.024	.	0.33	24.63	3.05
CTIF FT1	2.9	2.12	0.71	0.12	0.025	0.012	0.11	0.057	.	.	.	0.067	0.19	0.525	.

Number	C	Si	Mn	P	S	Cu	Ni	Cr	Al	Co	Mo	Sn	Ti	V	W
CTIF NR 8L	2.89	1.70	5.19	0.054	0.030	0.075	13.33	0.165
CTIF NH4	2.84	0.49	0.28	0.12	0.022	0.09	3.60	2.46	.	.	0.30
CTIF F04	2.81	1.51	0.64	0.58	0.009	0.31	0.32	0.17	.	.	0.095	0.013	0.075	0.049	.
CTIF FCR2	2.86	1.07	0.740	0.137	0.055	0.135	1.87	11.8	.	.	3.88
CTIF FL5	2.8	2.3	0.4	0.02	(0.005)	0.5	0.05	0.35	.	0.010	0.01	0.07	0.01	0.01	.
CTIF FCR Ni3	2.74	0.69	0.47	0.036	0.011	.	11.05	31.65
CTIF NH6	2.70	2.28	0.355	0.066	0.036	0.115	7.06	6.60	.	.	0.11
CTIF F09	2.7	1.5	0.7	0.02	0.015	0.31	0.355	0.18	.	.	0.13	0.144	0.017	0.022	.
CTIF FL4	2.6	2.91	0.5	0.288	0.137	0.0168	0.061	0.45	.	.	0.090	0.011	0.0296	0.116	.
CTIF NR 1S	2.58	3.02	1.54	0.19	0.0015	0.11	20.60	2.00
CTIF NR 1L	2.50	3.00	1.34	0.125	0.10	0.49	25.87	1.74
CTIF NH2	2.50	1.81	1.04	0.047	0.058	1.02	1.78	1.26	.	.	1.01
CTIF NR Cu2	2.48	2.07	1.078	0.113	0.049	6.50	15.85	2.05
CTIF NR 4S	2.47	4.87	1.71	0.145	.	0.63	18.30	1.50
CTIF FCR4	2.47	1.40	2.05	0.097	0.066	1.32	0.571	24.2	.	.	2.16
CTIF FCR1	2.46	0.48	0.63	0.019	0.007	0.031	1.30	18.71	.	.	1.41
CTIF F07	2.45	0.675	0.70	0.84	0.085	0.125	0.15	0.455	.	.	0.26	.	0.065	0.13	.
CTIF NR 4L	2.41	5.89	1.495	0.155	0.010	0.758	15.90	1.403
CTIF NR 2S	2.32	1.43	0.530	0.062	.	0.210	36.3	0.51
CTIF NH5	2.31	0.31	0.24	0.115	0.04	0.035	4.90	2.85	.	.	0.017
CTIF FL3	2.3	2.1	0.27	0.729	(0.013)	0.102	0.553	0.107	.	.	0.106	0.111	0.05	0.049	.
CTIF NR 4G	2.24	5.60	1.72	0.11	(0.002)	0.64	21.30	1.40
CTIF NR 2G	2.25	1.47	0.380	0.0476	(0.003)	0.232	36.34	0.395
CTIF FL2	2.18	3.61	0.0400	0.049	0.082	0.0497	0.0238	0.440	(0.006)	0.0263	(0.004)	0.140	0.0750	0.201	.
CTIF FL1	2.1	3.2	0.80	0.118	0.0765	0.0195	0.245	0.06	.	(0.022)	0.038	0.305	0.020	0.015	.
CTIF FCR Ni2	2.02	1.50	0.61	0.185	0.024	.	13.05	29.00
CTIF NR Cu3	1.94	3.12	0.60	0.046	0.016	8.05	13.3	3.50
CTIF NR 6S	1.82	2.44	0.99	0.019	.	0.03	30.75	1.06
CTIF NR 5L	1.77	2.99	1.207	0.037	0.083	0.48	33.89	0.27
CTIF NR 6L	1.76	2.07	0.70	0.031	0.063	0.020	30.37	3.49
CTIF NR 5S	1.67	1.97	1.23	0.035	.	0.50	27.05	0.24
CTIF FCR6	1.44	0.76	1.47	0.201	0.086	0.480	0.188	30.84	.	.	0.455
CTIF FCR Ni1	1.27	1.63	0.71	0.41	0.06	0.02	16.50	26.20

Number	C	Si	Mn	P	S	Cu	Ni	Cr	Al	Co	Mo	Sn	Ti	V	W
--------	---	----	----	---	---	----	----	----	----	----	----	----	----	---	---

CAST IRON MUSHROOMS

CONTINUED FROM THE PREVIOUS PAGE

Number	As	B	Bs	Bi	Ce	N	Nb	Pb	Sb	Te	Zn
CTIF F019	0.0005	.
CTIF F012
CTIF F08
CTIF FCR7
CTIF F06
CTIF F010
CTIF NH3
CTIF F011
CTIF F018	0.0040
CTIF NH7-1
CTIF FCR5
CTIF FT2-1
CTIF NiMo1
CTIF FL7	(0.0266)	(0.010)	.	(0.010)	.	0.0035
CTIF FT3
CTIF NH7-2
CTIF F05
CTIF NH9
CTIF NR Cu1
CTIF FL6	.	0.008
CTIF FL10	(0.022)	.	(0.012)	(0.004)	.	.	(0.018)	(0.002)	(0.032)	(0.001)	(0.029)
CTIF FFA 1	0.0109	0.0125
CTIF NR 8S
CTIF F017
CTIF FAL 1
CTIF NR 3L
CTIF NH1
CTIF NH8
CTIF NR 3S
CTIF FT1

Number	As	B	Bs	Bi	Ce	N	Nb	Pb	Sb	Te	Zn
CTIF NR 8L
CTIF NH4
CTIF F04	last of stock
CTIF FCR2
CTIF FL5	.	(0.002)	.	(0.0005)
CTIF FCR Ni3
CTIF NH6
CTIF F09
CTIF FL4	(0.05)	.	.	(0.003)	.	0.007
CTIF NR 1S
CTIF NR 1L
CTIF NH2
CTIF NR Cu2	(0.0079)
CTIF NR 4S
CTIF FCR4
CTIF FCR1
CTIF F07
CTIF NR 4L
CTIF NR 2S
CTIF NH5
CTIF FL3	0.008
CTIF NR 4G
CTIF NR 2G	0.27
CTIF FL2	.	.	.	(0.0135)
CTIF FL1
CTIF FCR Ni2
CTIF NR Cu3
CTIF NR 6S
CTIF NR 5L
CTIF NR 6L
CTIF NR 5S
CTIF FCR6
CTIF FCR Nil

Number	As	B	Bs	Bi	Ce	N	Nb	Pb	Sb	Te	Zn
--------	----	---	----	----	----	---	----	----	----	----	----

ALLOY	ISO?	NUMBER	ALLOY	ISO?	NUMBER	ALLOY	ISO?	NUMBER
1.0812		ECRM 191-2D	15-5PH		BS 9622	310		CZ SL-3A
1.2344		ECRM 271-1D	15-5PH		ECRM 273-1D	310		IARM 4E
1.2367		HRT FE2012-H	15-5PH		IARM 22C	310		IARM 4F
1.4435, 1.4436		JK 27B	17-4PH		13X PH2	310		IARM 4G
1.4765		ECRM 299-1D	17-4PH		13X PH17400	310		SS 464/1
1.5415		HRT FE2012-N	17-4PH		BS 17-4PHA	3115		BS XCCT
1.6587		HRT FE2013-N	17-4PH		BS 17-4PHB	314		IMZ 165
1.7149 20MnCrS5		ECRM 187-2D	17-4PH		SRM C2400	314		IMZ 166A
1.7160		ECRM 194-1D	17-7PH		13X PH17700	316	17025	BS 316C
1.8550		ECRM 129-3D	17-7PH 25(preceeded 17025)		BS 192	316		IARM 5H
1.8519		HRT FE2010-N	17-7PH 25(preceeded 17025)		BS 192A	316		IARM 5i
1.8928		ECRM 194-2D	17-7PH		IARM 152C	316		NILAB 500HAD
1005	17025	BS LC-6	17-7PH		IARM Fe177PH-18	316		SRM 1155A
1005		ECRM 064-2D	182FM		BS 150	316 H		CT 316
1005		RM Fe 1/5	18Cr2Ni12Mn		CT ISO035A	316 H		IARM 339A
1005		SRM 1765	201		BS 191	316 L		13X 31603
1005		SRM 1766	201		SRM 1297	316 L	17025	BS 316D
1005		SS 111/1	20Cb3		BS 187A	316 L	17025	BS 316E
1006		BS XCCS-1	20Cb3		CT 20 Cb-3	316 L		CZ SL-2A
1008		ECRM 057-2D	20MoCr4		ECRM 197-1D	316 L		IARM Fe316L-18
1009		IMZ 71	2101		IARM 292A	316 L		IARM 163E
100C6		IRSID 1747	21Cr6Ni9Mn		CT ISO129A	316 L		SS 466/2
1010		IMZ 111	2205	17025	BS 2205	316 Ti		ECRM 284-2D
1010		IRSID 1665	2205		IARM 212D	317 L		BS 317L
1011		IMZ 73	2205		IARM Fe2205-18	317 L	25(pre-17025)	BS 9941
1016	17025	BS 1016	2304		IARM 317A	317 L	25(pre-17025)	BS 9942
1017		IMZ 112	2507		IARM 301B	317 L		IARM 153C
1017		IRSID 1664	253 MA	25(pre-17025)	BS 253	318	17025	BS 2205
1018		12X 10180B	253 MA		IARM 316A	321		13X 32100
1018		12X 10180C	254 SMO		13X 31254	321	17025	BS 85D
1018	17025	BS 1018	254 SMO		IARM 302B	321		BS 321C
1018	17025	BS 2931B	254 SMO		NILAB 501HAD	321		BS 321D
1018		ECRM 087-1D	255, Duplex		IARM 239B	321		IARM 6i
1018		IARM 28K	255, Duplex		IARM 239C	321		IARM 6J
1020	17025	BS 1020	300M		12X 44220	321		SRM 1171
1026	17025	BS 1026	300M	17025	BS 300	321		SS 465/1
1026		IARM 359A	300M		IARM 340A	321 - Ti		IMZ 152
1030	17025	BS 1030	301		IARM 289A	32750		13X NSA13
1030		IARM 209D	301		IRSID 1819	330		IARM 7C
1033		IRSID 1663	302		IARM 241D	347		13X 34700
1035	17025	BS 1035	302 HQ		IARM 234C	347		BS 347A
1035		IRSID 1645	303		13X 30300	347		BS 347B
1035		IARM 360A	303	17025	BS 303	347		IARM 8G
1039		IRSID 1637	303		CT 303	347		IARM 8H
1040		12X 10400	303		CZ SP-1A	347		IARM 8i
1040	17025	BS 3941	303		IARM Fe303-18	347 H		BS 87F
1040		IARM 210D	303 Se		IARM 253A	348		SRM 1172
1040		IRSID 1657	303 Se		IARM 253B	355	17025	BS 355
1042		IRSID 1656	304		IARM 2H	355		IARM 335A
1042		NM EN-8	304 H		13X NSB1	35MV7		IRSID 1750
1043		IRSID 1652	304 H + Ca	17025	BS CA304-4	405		SRM 1295
1045		BS 56E	304 H		CT 304	409 + Cr		NCS HS20743
1045	17025	BS 56H	304 H		IARM Fe304H-18	410	25(pre-17025)	BS 0021
1045		IARM 200D	304 H		SS 468/1	410, F6NM	25(pre-17025)	BS 0022
1045		IPT 503	304 L	17025	BS 304	410	17025	BS 410C
1050		IARM 254A	304 L	17025	BS 304A	410		CT 410
1055		NM 3405.01	304 L	17025	BS 304B	410		IARM Fe410-18
1060		IARM 373A	304 L		BS SS3951	410 + Mo		ECRM 296-1D
1069		ECRM 059-2D	304 L		IARM 162D	410 + Mo		IMZ 161
1078		ECRM 056-2D	304 L		IARM Fe304L-18	410 H		13X 41001
1078		SRM 1224	304 L		ECRM 287-1D	4130	17025	BS 4130
1090		SS 602/2	304 L		ECRM 292-1D	4130		IARM 143F
1095		SRM 1227	304 L		IARM 162C	4130		IPT 501
1117 25(preceeded 17025)		BS 3993	304 L		SS 463/1	4130		SRM 1225
1117		BS 65C	305		CT 305	4140		12X 41400
1117		IARM 29E	305		CT X52353	4140	25(pre-17025)	BS 1962
1118		IARM 307A	305		ECRM 297-1D	4140		IARM 30H
1140 P		BS 52D	308		DSZU C017	4140		IARM 30J
1141		BS 66B	309		13X 30908	4140 Bi		BS 4140A
1141		IARM 348A	309		BS 82D	4140 Bi		BS 4140B
1144	17025	BS 1144	309		BS 82E	41L40MOD	17025	BS 70B
1144	17025	BS 1144A	309		IARM 3E	41L40MOD		BS 70C
1144		IARM 199C	310		13X 31008	4150 Bi & S		BS 4150MOD
11L17	17025	BS 75F	310		BS 83G	4150 S		BS 4150MOD-A
11L17	17025	BS 75G	310	25(pre-17025)	BS 9841	4150 S	17025	BS 42
1215	17025	BS 66L	310	25(pre-17025)	BS 9842	4150 S		BS 42A
1215		IARM 206B				416		BS 90F
12L14	17025	BS 74C				416	17025	BS 416
12L14		IARM 183C				416		CT 416
12Mn18Cr		BS 193				416		IARM 10D
1345		BS XCCV				416		SRM 1223
13-8PH		13X PH13800				416 H		13X 41600
13-8PH		BS 184A				416 Se		BS 151
13-8PH		CT X92834				418		IARM Fe418-18
1429		ECRM 058-2D				41CAD7		IRSID 1749
1513		IMZ 76				41L40	17025	BS 70B
1526 MOD		SRM 1269				41L50	17025	BS 72B
1541		IARM 349A				42		CT ISO138A
1541		IPT 504				42		CT ISO139A
1541		IRSID 1648				420		BS SS4951
1544		IRSID 1644				420		BS SS4952
15-5PH		BS 185A				420		ECRM 272-1D
15-5PH		BS 9621				420		IARM 154B
						420		IARM 154C

Please use the Adobe Acrobat "search" function to find the complete chemistry of these samples listed within this catalog.

ALLOY	ISO?	NUMBER	ALLOY	ISO?	NUMBER	ALLOY	ISO?	NUMBER
420		SS 469	A706-60		IARM 380A	H-13		IARM 42C
420 F		BS 152	A706-60		IARM 380B	H-13		IMZ 174
420 F S		IARM 352A	A706-80		IARM 381A	H-19	17025	BS H-19
422		13X 42200	Aermet 100		CT ISO045A	HC 250+V		SRM C1290
422	17025	BS 422	Aermet 100		IARM 242A	High Perm		CT ISO124A
422		IARM 205D	AL6XN	17025	BS 189A	High Perm		CT ISO136A
430	17025	BS 430	AL6XN		IARM 157D	High Perm 49		CT ISO141A
430		IARM 11D	C-.5Mo		BS 3952	HSLA 100		SRM 1271
430		NCS HS20742	C-.5Mo		IARM 229B	HY 130		SRM 1226
430 F		BS 153	C-250		IARM 308A	HY 80		SRM 1286
430 F		BS 154	C-350		IARM 309A	Hy-Tuff		IARM 342A
430 F S		IARM 355A	CA6NM		HRT FE2009-H	Invar		14X 93603
431	17025	BS 431	CA6NM		IARM 327A	Invar-36 + Se		BS 186A
431		BS 92B	CD3MN		ECRM 298-1D	Invar-36 + Se		IARM 24B
431		IARM 12C	CD4MCU		BS CD4MCU	Invar 42		14X 94100
431		HRT FE2010-H	CD4MCU		BS CD4MCU-A	ISO 898-1		SS 457/2
431		SRM 1219	CD6MN		VS LG58	KOVAR	17025	BS 160A
4320		BS 3961	CF-3		IRSID 1820	KOVAR		IARM 98B
4330 MOD		BS 4330V	CLA1		IARM 164A	L-2, 6150		BS 43A
4330 MOD		IARM 330B	CLA11		IARM 180A	L-6	17025	BS 39B
4340	17025	BS 4340	CLA5		IARM 168A	L-6		IARM 43B
4340	17025	BS 4340A	CLA9		IARM 172A	LDX2101		13X 32101
4340		IARM 31G	CPM15V	17025	BS PML15	LF-2		BS 2931B
440 C		13X 44004	Custom 450	25(pre-17025)	BS 9811	LF-2	17025	BS LF2B
440 C	17025	BS 93F	Custom 450	25(pre-17025)	BS 9812	LF-2		SS 601/2
440 C		IARM 13D	Custom 450		CT 450	LF-3		BS LF3
440 F		BS 155	Custom 450		IARM 15B	M-1		CT M1
440 F Se		BS 156	Custom 455		BS S51961	M-1		IARM 304A
440 F Se		IARM 353A	Custom 455		BS S51962	M-10		CT M10
446		BS 94C	Custom 455		CT 455	M-10		IARM 324A
450		IARM 15C	Custom 455		IARM 16C	M-152		13X 64152
455		13X 45500	Custom 465		CT ISO123A	M-152		IARM 291A
446		IARM 14C	Custom 630		CT 630	M-2		CT M2
4615		BS 3962	D-2		BS 37G	M-2		IARM 44C
4620		BS 4620	D-2		CT D2	M-2		SRM 1157
4620		BS 51F	D-2		IARM 41D	M-35		IARM 320A
4620		IARM 33D	D-3, D-4		ECRM 288-1D	M-4		IARM 251A
465		13X 46500	D-6	17025	BS D-6	M-42		SS 487/1
465		IARM 354A	D6-AC		IARM 299A	M-47	17025	BS M-47
4820	17025	BS 4820A	Duplex		13X NSA9	M-50	17025	BS M-50
4820		IARM 155F	Duplex	17025	BS 2205	M-50		IARM 306B
5160		IMZ 116	Duplex		IMZ 163A	M-7		CT M7
6150		BS 4941	Duplex		IMZ 164	Maraging 250		CT 250
6150		IARM 34C	E52100		BS 2952	Maraging 300		CT 300
6418		BS 6418	E52100		BS 53G	MaragingA538C	25(pre17025)	BS 161A
6418		BS 69B	E52100		IARM 49D	Mold Steel	17025	BS PP20
6526		BS 9-4-30	E52100		IARM 49E	NIT 135M		IARM 305B
709		CT X67975	E52100 Bi		BS 53M0D	Nitriding 135G		BS 68B
800	17025	BS 800	Elect./ Magnetic		SRM 1159	Nitriding 135G	17025	BS 68E
8620		BS 8620A (XRF)	Electrolytic		SRM 1265a	Nitronic 40		13X NSC6
8620	17025	BS 8620E	F-11		BS 45A	Nitronic 40		BS 190
8620		BS 8620F	F-11	17025	BS 45B	Nitronic 40		IARM 19C
8620		IPT 502	F-11		IARM 35L	Nitronic 50		BS 180A
86L20	25(preceeded 17025)	BS 73B	F-2		CT X27081	Nitronic 50	17025	BS 180B
86L20		BS 73C	F-22	17025	BS 46B	Nitronic 50		IARM 17D
86L20		IARM 182B	F-22	25(preceeded 17025)	BS 1982	Nitronic 50		IARM FeN50-18
8630		BS 8630	F-22		IARM 36C	Nitronic 60		13X 21800
8740	17025	BS 67C	F-22		SRM 1270	Nitronic 60		BS 181A
8740		IARM 252C	F-22 + Cr		HRT FE2009-N	Nitronic 60	17025	BS 181B
8740		IARM 252D	F-5		BS 47A	Nitronic 60		IARM 18D
8740		IARM 252E	F-5		BS 47B	NMS 100		IARM 214A
8740		IARM 252F	F-5		IARM 37C	NMS 140		IARM 295A
904L		13X NSA12	F-51	17025	BS 2205	NMS J38		IARM 294A
904L		ECRM 295-1D	F-9	17025	BS 48B	O-1	17025	BS 35D
9310		BS 58C	F-91	17025	BS 9905A	O-1		CT O1
9310		BS 58E	Ferallium 255	17025	BS 179B	O-6	17025	BS 41
9325	17025	BS 9325A	Ferallium 255	17025	BS 179C	O-6	25(preceeded 17025)	BS 41A
9-4-30		IARM 341A	F6NM	25(preceded 17025)	BS 0022	O-6		IARM 45A
A-10		BS A-10	Greek Ascology		BS 183A	O-6		IARM 45B
A-11		BS 10V	Greek Ascology		IARM 20B	P-6, HY100		BS 1972
A-11	17025	BS A-11	Greek Ascology		IARM 20C	P-20		BS 55G
A-106 Gr B		SRM 1228	H-10		BS 49	PP-20	17025	BS PP20
A-193 B16		BS 4942	H-11		ECRM 276-2D	Permendur 2V		IARM 326A
A-193 B16	17025	BS 4942A	H-11		IARM 255A	RA330		BS 86F
A-2		BS 36D	H-11		IARM 255B	Railroad Steel		BS 54H
A-2		CT A2	H-11		IMZ 173	S-1		BS 33D
A-2		IARM 39B	H-13	17025	BS H-13	S-1		BS 33E
A-2		IARM 39C	H-13		CT H13	S-1		IARM 46B
A-20		BS 187C				S-5		BS 38C
A-242		IPT 500				S-5		IARM 47B
A-242 Mod		SRM C1285				S-7		IARM 259A
A-286		BS 188A				S-7		SRM 1772
A-286	17025	BS 188B				SA213-T22		IMZ 159
A-286		IARM 26D				SA213-T22		IMZ 160
A-286		SRM 1230				SA213-T22		IMZ 169
A-36	17025	BS 2931B				SAE G2500		BS 20E
A-36		IARM 213C				STA 361		IARM 268B
A-36		IARM 213D				T-1		14X HS1
A-36		SRM 1767				T-1	17025	BS 30D
A-485-1		BS A485-1				T-1		IARM 48C
A-6		BS 40B				T-4		IARM 281A
A-6		IARM 40B				T-15	17025	BS TS15
A-6		IARM 40C				VM12		IMZ 196
						W-5		14X 72305
						Z30C13		IRSID 1825
						Zeron 100, Duplex		13X NSA8
						Zeron 100, Duplex		IARM 319A

Please use the Adobe Acrobat "search" function to find the complete chemistry of these samples listed within this catalog.

CARBON STEEL SPECIFICATIONS

Number	C	Mn	P	S
1005	<0.06	<0.35	<0.03	<0.05
1006	<0.08	0.25-0.40	<0.03	<0.05
1008	<0.10	0.30-0.50	<0.03	<0.05
1009	<0.15	<0.60	<0.03	<0.05
1010	0.08-0.13	0.30-0.60	<0.03	<0.05
1011	0.09-0.14	0.60-0.90	<0.03	<0.05
1012	0.10-0.15	0.30-0.60	<0.03	<0.05
1013	0.11-0.16	0.50-0.80	<0.03	<0.05
1015	0.13-0.18	0.30-0.60	<0.03	<0.05
1016	0.13-0.18	0.60-0.90	<0.03	<0.05
1017	0.15-0.20	0.30-0.60	<0.03	<0.05
1018	0.15-0.20	0.60-0.90	<0.03	<0.05
1019	0.15-0.20	0.70-1.00	<0.03	<0.05
1020	0.18-0.23	0.30-0.60	<0.03	<0.05
1021	0.18-0.23	0.60-0.90	<0.03	<0.05
1022	0.18-0.23	0.70-1.00	<0.03	<0.05
1023	0.20-0.25	0.30-0.60	<0.03	<0.05
1025	0.22-0.28	0.30-0.60	<0.03	<0.05
1026	0.22-0.28	0.60-0.90	<0.03	<0.05
1029	0.25-0.31	0.60-0.90	<0.03	<0.05
1030	0.28-0.34	0.60-0.90	<0.03	<0.05
1033	0.29-0.36	0.70-1.00	<0.03	<0.05
1034	0.32-0.38	0.50-0.80	<0.03	<0.05
1035	0.32-0.38	0.60-0.90	<0.03	<0.05
1037	0.32-0.38	0.70-1.00	<0.03	<0.05
1038	0.35-0.42	0.60-0.90	<0.03	<0.05
1039	0.37-0.44	0.70-1.00	<0.03	<0.05
1040	0.37-0.44	0.60-0.90	<0.03	<0.05
1042	0.40-0.47	0.60-0.90	<0.03	<0.05
1043	0.40-0.47	0.70-1.00	<0.03	<0.05
1044	0.43-0.50	0.30-0.60	<0.03	<0.05
1045	0.43-0.50	0.60-0.90	<0.03	<0.05
1046	0.43-0.50	0.70-1.00	<0.03	<0.05
1049	0.46-0.53	0.60-0.90	<0.03	<0.05
1050	0.48-0.55	0.60-0.90	<0.03	<0.05
1053	0.48-0.55	0.70-1.00	<0.03	<0.05
1055	0.50-0.60	0.60-0.90	<0.03	<0.05
1059	0.55-0.65	0.50-0.80	<0.03	<0.05
1060	0.55-0.65	0.60-0.90	<0.03	<0.05
1064	0.60-0.70	0.50-0.80	<0.03	<0.05
1065	0.60-0.70	0.60-0.90	<0.03	<0.05
1069	0.65-0.75	0.40-0.70	<0.03	<0.05
1070	0.65-0.75	0.60-0.90	<0.03	<0.05
1074	0.70-0.80	0.50-0.80	<0.03	<0.05
1078	0.72-0.85	0.30-0.60	<0.03	<0.05
1080	0.75-0.88	0.60-0.90	<0.03	<0.05
1084	0.83-0.93	0.60-0.90	<0.03	<0.05
1085	0.80-0.94	0.70-1.00	<0.03	<0.05
1086	0.80-0.93	0.30-0.50	<0.03	<0.05
1090	0.85-0.98	0.60-0.90	<0.03	<0.05
1095	0.90-1.03	0.30-0.50	<0.03	<0.05
Number	C	Mn	P	S

CARBON STEEL SPECIFICATIONS

Number	C	Mn	P	S	Si
1513	0.10-0.16	1.10-1.40	<0.03	<0.05	.
1522	0.18-0.24	1.10-1.40	<0.04	<0.05	.
1524	0.19-0.25	1.35-1.65	<0.04	<0.05	.
1526	0.22-0.29	1.10-1.40	<0.04	<0.05	.
1527	0.22-0.29	1.20-1.50	<0.04	<0.05	.
1533	0.30-0.37	1.10-1.40	<0.04	<0.05	.
1534	0.30-0.37	1.20-1.50	<0.04	<0.05	.
1541	0.36-0.44	1.35-1.65	<0.04	<0.05	.
1544	0.40-0.47	0.80-1.10	<0.04	<0.05	.
1545	0.43-0.50	0.80-1.10	<0.04	<0.05	.
1546	0.44-0.52	1.00-1.30	<0.04	<0.05	.
1548	0.44-0.52	1.10-1.40	<0.04	<0.05	.
1552	0.47-0.55	1.20-1.50	<0.04	<0.05	.
1553	0.48-0.55	0.80-1.10	<0.04	<0.05	.
1566	0.60-0.70	0.85-1.15	<0.04	<0.05	.
1570	0.65-0.75	0.80-1.10	<0.04	<0.05	.
1580	0.75-0.88	0.80-1.10	<0.04	<0.05	.
1590	0.85-0.98	0.80-1.10	<0.04	<0.05	.
LF2	<0.30	0.60-1.35	<0.035	<0.04	0.15-0.30
Number	C	Mn	P	S	Si

RESULFURIZED STEEL SPECIFICATIONS

Number	C	Mn	P	S
1108	0.08-0.13	0.50-0.80	<0.04	0.08-0.13
1109	0.08-0.13	0.60-0.90	<0.04	0.08-0.13
1110	0.08-0.13	0.30-0.60	<0.04	0.08-0.13
1116	0.14-0.20	1.10-1.40	<0.04	0.16-0.23
1117	0.14-0.20	1.00-1.30	<0.04	0.08-0.13
1118	0.14-0.20	1.30-1.60	<0.04	0.08-0.13
1119	0.14-0.20	1.00-1.30	<0.04	0.24-0.33
1123	0.20-0.27	1.20-1.50	<0.04	0.06-0.09
1132	0.27-0.34	1.35-1.65	<0.04	0.09-0.13
1137	0.32-0.39	1.35-1.65	<0.03	0.08-0.13
1139	0.35-0.43	1.35-1.65	<0.04	0.13-0.20
1140	0.37-0.44	0.70-1.00	<0.03	0.08-0.13
1141	0.37-0.45	1.35-1.65	<0.03	0.08-0.13
1144	0.40-0.48	1.35-1.65	<0.03	0.24-0.33
1145	0.41-0.49	0.70-1.00	<0.04	0.08-0.13
1146	0.42-0.49	0.70-1.00	<0.04	0.08-0.13
1151	0.48-0.55	0.70-1.00	<0.04	0.08-0.13
1152	0.48-0.55	0.70-1.00	<0.04	0.06-0.09
1211	<0.13	0.60-0.90	0.07-0.12	0.10-0.15
1212	<0.13	0.70-1.00	0.07-0.12	0.16-0.23
1213	<0.13	0.70-1.00	0.07-0.12	0.24-0.33
1215	<0.09	0.75-1.05	0.04-0.09	0.26-0.35
Number	C	Mn	P	S

These are specifications,
not samples for sale.

LOW ALLOY STEEL SPECIFICATIONS

Number	C	Mn	P	S	Si	Ni	Cr	Mo	Pb	Other
1330	0.28-0.33	1.60-1.90	<0.035	<0.04	0.15-0.35
1335	0.33-0.38	1.60-1.90	<0.035	<0.04	0.15-0.35
1340	0.38-0.43	1.60-1.90	<0.035	<0.04	0.15-0.35
1345	0.43-0.48	1.60-1.90	<0.035	<0.04	0.15-0.35
3140	0.38-0.43	0.70-0.90	<0.04	<0.04	0.15-0.35	1.10-1.40	0.55-0.75	.	.	.
4023	0.20-0.25	0.70-0.90	<0.035	<0.04	0.15-0.35	.	.	0.20-0.30	.	.
4027	0.25-0.30	0.70-0.90	<0.035	<0.04	0.15-0.35	.	.	0.20-0.30	.	.
4028	0.25-0.30	0.70-0.90	<0.035	0.035-0.050	0.15-0.35	.	.	0.20-0.30	.	.
4037	0.35-0.40	0.70-0.90	<0.035	<0.04	0.15-0.35	.	.	0.20-0.30	.	.
4047	0.45-0.50	0.70-0.90	<0.035	<0.04	0.15-0.35	.	.	0.20-0.30	.	.
4118	0.18-0.23	0.70-0.90	<0.035	<0.04	0.15-0.35	.	0.40-0.60	0.08-0.15	.	.
4120	0.18-0.23	0.80-1.20	<0.035	<0.04	0.15-0.35	.	0.40-0.60	0.15-0.25	.	.
4121	0.18-0.23	0.75-1.00	<0.035	<0.04	0.15-0.35	.	0.45-0.65	0.15-0.25	.	.
4130	0.28-0.33	0.40-0.60	<0.035	<0.04	0.15-0.35	.	0.80-1.10	0.15-0.25	.	.
4135	0.33-0.38	0.70-0.90	<0.035	<0.04	0.15-0.35	.	0.80-1.10	0.15-0.25	.	.
4137	0.35-0.40	0.70-0.90	<0.035	<0.04	0.15-0.35	.	0.80-1.10	0.15-0.25	.	.
4140	0.38-0.43	0.75-1.00	<0.035	<0.04	0.15-0.35	.	0.80-1.10	0.15-0.25	.	.
41L40	0.38-0.43	0.75-1.00	<0.035	0.02-0.04	0.15-0.35	.	0.80-1.10	0.15-0.25	0.15-0.35	.
4142	0.40-0.45	0.45-0.65	<0.035	<0.04	0.15-0.35	.	0.80-1.10	0.15-0.25	.	.
4145	0.43-0.48	0.75-1.00	<0.035	<0.04	0.15-0.35	.	0.80-1.10	0.15-0.25	.	.
4147	0.45-0.50	0.75-1.00	<0.035	<0.04	0.15-0.35	.	0.80-1.10	0.15-0.25	.	.
4150	0.48-0.53	0.75-1.00	<0.035	<0.04	0.15-0.35	.	0.80-1.10	0.15-0.25	.	.
41L50	0.48-0.53	0.75-1.00	<0.035	0.02-0.04	0.15-0.35	.	0.80-1.10	0.15-0.25	0.15-0.35	.
4320	0.17-0.22	0.45-0.65	<0.035	<0.04	0.15-0.35	1.65-2.00	0.40-0.60	0.20-0.30	.	.
4340	0.38-0.43	0.60-0.80	<0.035	<0.04	0.15-0.35	1.65-2.00	0.70-0.90	0.20-0.30	.	.
4615	0.13-0.18	0.45-0.65	<0.035	<0.04	0.15-0.35	1.65-2.00	.	0.20-0.30	.	.
4617	0.15-0.20	0.45-0.65	<0.035	<0.04	0.15-0.35	1.65-2.00	.	0.20-0.30	.	.
4620	0.17-0.22	0.45-0.65	<0.035	<0.04	0.15-0.35	1.65-2.00	.	0.20-0.30	.	.
4715	0.13-0.18	0.70-0.90	<0.035	<0.04	0.15-0.35	0.70-1.00	0.45-0.65	0.45-0.65	.	.
4720	0.17-0.22	0.50-0.70	<0.035	<0.04	0.15-0.35	0.90-1.20	0.35-0.55	0.15-0.25	.	.
4815	0.13-0.18	0.40-0.60	<0.035	<0.04	0.15-0.35	3.25-3.75	.	0.20-0.30	.	.
4820	0.18-0.23	0.50-0.70	<0.035	<0.04	0.15-0.35	3.25-3.75	.	0.20-0.30	.	.
50B46	0.44-0.49	0.75-1.00	<0.035	<0.04	0.15-0.35	.	0.20-0.35	.	.	B: 0.0005-0.003
5120	0.17-0.22	0.70-0.90	<0.035	<0.04	0.15-0.35	.	0.70-0.90	.	.	.
51L20	0.17-0.22	0.70-0.90	<0.035	<0.04	0.15-0.35	.	0.70-0.90	.	0.15-0.35	.
5130	0.28-0.33	0.70-0.90	<0.035	<0.04	0.15-0.35	.	0.80-1.10	.	.	.
5132	0.30-0.35	0.60-0.80	<0.035	<0.04	0.15-0.35	.	0.75-1.00	.	.	.
5140	0.38-0.43	0.70-0.90	<0.035	<0.04	0.15-0.35	.	0.70-0.90	.	.	.
5150	0.48-0.53	0.70-0.90	<0.035	<0.04	0.15-0.35	.	0.70-0.90	.	.	.
5160	0.56-0.64	0.75-1.00	<0.035	<0.04	0.15-0.35	.	0.70-0.90	.	.	.
51B60	0.56-0.64	0.75-1.00	<0.035	<0.04	0.15-0.35	.	0.70-0.90	.	.	B: >0.0005
6150	0.48-0.53	0.70-0.90	<0.035	<0.04	0.15-0.35	.	0.80-1.10	.	.	V: >0.15
8615	0.13-0.18	0.70-0.90	<0.035	<0.04	0.15-0.35	0.40-0.70	0.40-0.60	0.15-0.25	.	.
8617	0.15-0.20	0.70-0.90	<0.035	<0.04	0.15-0.35	0.40-0.70	0.40-0.60	0.15-0.25	.	.
8620	0.18-0.23	0.70-0.90	<0.035	<0.04	0.15-0.35	0.40-0.70	0.40-0.60	0.15-0.25	.	.
86L20	0.18-0.21	0.70-0.90	<0.035	0.02-0.04	0.15-0.35	0.40-0.70	0.40-0.60	0.15-0.25	0.15-0.35	.
8622	0.20-0.25	0.70-0.90	<0.035	<0.04	0.15-0.35	0.40-0.70	0.40-0.60	0.15-0.25	.	.
8630	0.28-0.33	0.70-0.90	<0.035	<0.04	0.15-0.35	0.40-0.70	0.40-0.60	0.15-0.25	.	.
8637	0.35-0.40	0.75-1.00	<0.035	<0.04	0.15-0.35	0.40-0.70	0.40-0.60	0.15-0.25	.	.
8640	0.38-0.43	0.75-1.00	<0.035	<0.04	0.15-0.35	0.40-0.70	0.40-0.60	0.15-0.25	.	.
8645	0.43-0.48	0.75-1.00	<0.035	<0.04	0.15-0.35	0.40-0.70	0.40-0.60	0.15-0.25	.	.
8720	0.18-0.23	0.70-0.90	<0.035	<0.04	0.15-0.35	0.40-0.70	0.40-0.60	0.20-0.30	.	.
8740	0.38-0.43	0.75-1.00	<0.035	<0.04	0.15-0.35	0.40-0.70	0.40-0.60	0.20-0.30	.	.
8822	0.20-0.25	0.75-1.00	<0.035	<0.04	0.15-0.35	0.40-0.70	0.40-0.60	0.30-0.40	.	.
9259	0.56-0.64	0.75-1.00	<0.035	<0.04	0.70-1.10	.	0.45-0.65	.	.	.
9260	0.56-0.64	0.75-1.00	<0.035	<0.04	1.80-2.20
E4340	0.38-0.43	0.65-0.85	<0.025	<0.025	0.15-0.35	1.65-2.00	0.70-0.90	0.20-0.30	.	.
E51100	0.98-1.10	0.25-0.45	<0.025	<0.025	0.15-0.35	.	0.90-1.15	.	.	.
E52100	0.98-1.10	0.25-0.45	<0.025	<0.025	0.15-0.35	.	1.30-1.60	.	.	.
E9310	0.08-0.13	0.45-0.65	<0.025	<0.025	0.15-0.35	3.00-3.50	1.00-1.40	0.08-0.15	.	.
F-11	0.10-0.20	0.30-0.80	<0.04	<0.04	0.50-1.00	.	1.00-1.50	0.44-0.65	.	.
F-22	<0.15	0.30-0.60	<0.03	<0.03	<0.50	.	2.00-2.50	0.90-1.10	.	.
F-5	<0.15	0.30-0.60	<0.03	<0.03	<0.50	.	4.00-6.00	0.45-0.65	.	.
F-9	<0.15	0.30-0.60	<0.03	<0.03	0.50-1.0	.	8.00-10.00	0.90-1.10	.	.
F-91	0.08-0.12	0.30-0.60	<0.02	<0.01	0.20-0.50	<0.40	8.00-9.50	0.85-1.05	.	Al: <0.04 N: 0.03-0.07
F-91	continued									Nb: 0.06-0.10 V: 0.18-0.25
LF2	<0.30	0.60-1.35	<0.035	<0.04	0.15-0.30
LF3	<0.20	<0.90	<0.035	<0.04	0.20-0.35	3.25-3.75
Number	C	Mn	P	S	Si	Ni	Cr	Mo	Pb	Other

These are specifications,
not samples for sale.

TOOL STEEL SPECIFICATIONS

* notes optional chemistry

Number	C	Mn	P	S	Si	Ni	Cr	Co	Mo	V	W	Other
A-2	0.95-1.05	<1.00	<0.03	<0.03	<0.50	.	4.75-5.50	.	0.90-1.40	0.15-0.50	.	.
A-4	0.95-1.05	1.80-2.20	<0.03	<0.03	<0.50	.	0.90-2.20	.	0.90-1.40	.	.	.
A-6	0.65-0.75	1.80-2.50	<0.03	<0.03	<0.50	.	0.90-1.20	.	0.90-1.40	.	.	.
A-7	2.00-2.85	<0.80	<0.03	<0.03	<0.50	.	5.00-5.75	.	0.90-1.40	3.90-5.15	0.50-1.50	.
A-8	0.50-0.60	<0.50	<0.03	<0.03	0.75-1.10	.	4.75-5.50	.	1.15-1.65	.	1.00-1.50	.
A-9	0.45-0.55	<0.50	<0.03	<0.03	0.95-1.15	1.25-1.75	4.75-5.50	.	1.30-1.80	0.80-1.40	.	.
A-10	1.25-1.50	1.60-2.10	<0.03	<0.03	1.00-1.50	1.55-2.05	.	.	1.25-1.75	.	.	.
A-11	2.45	0.50	.	.	0.90	.	5.25	.	1.30	9.75	.	.
D-2	1.40-1.60	<0.60	<0.03	<0.03	<0.60	.	11.00-13.00	<1.00	0.70-1.20	<1.10	.	.
D-3	2.00-2.35	<0.60	<0.03	<0.03	<0.60	.	11.00-13.50	.	.	<1.00	<1.00	.
D-4	2.05-2.40	<0.60	<0.03	<0.03	<0.60	.	11.00-13.00	.	0.70-1.20	<1.00	.	.
D-5	1.40-1.60	<0.60	<0.03	<0.03	<0.60	.	11.00-13.00	2.50-3.50	0.70-1.20	<1.00	.	.
D-7	2.15-2.50	<0.60	<0.03	<0.03	<0.60	.	11.50-13.50	.	0.70-1.20	3.80-4.40	.	.
H-10	0.35-0.45	0.25-0.70	<0.03	<0.03	0.80-1.20	.	3.00-3.75	.	2.00-3.00	0.25-0.75	.	.
H-11	0.33-0.43	0.20-0.50	<0.03	<0.03	0.80-1.20	.	4.75-5.50	.	1.10-1.60	0.30-0.60	.	.
H-12	0.30-0.40	0.20-0.50	<0.03	<0.03	0.80-1.20	.	4.75-5.50	.	1.25-1.75	<0.50	1.00-1.70	.
H-13	0.32-0.45	0.20-0.50	<0.03	<0.03	0.80-1.20	.	4.75-5.50	.	1.10-1.75	0.80-1.20	.	.
H-14	0.35-0.45	0.20-0.50	<0.03	<0.03	0.80-1.20	.	4.75-5.50	.	.	.	4.00-5.25	.
H-19	0.32-0.45	0.20-0.50	<0.03	<0.03	0.80-1.20	.	4.00-4.75	4.00-4.50	0.30-0.55	1.75-2.20	3.75-4.50	4.00-5.50
H-21	0.26-0.36	0.15-0.40	<0.03	<0.03	0.15-0.50	.	3.00-3.75	.	.	0.30-0.60	8.50-10.00	.
H-22	0.30-0.40	0.15-0.40	<0.03	<0.03	0.15-0.40	.	1.75-3.75	.	.	0.25-0.50	10.00-11.75	.
H-23	0.25-0.35	0.15-0.40	<0.03	<0.03	0.15-0.60	.	11.00-12.75	.	.	0.75-1.25	11.00-12.75	.
H-24	0.42-0.53	0.15-0.40	<0.03	<0.03	0.15-0.40	.	2.50-3.50	.	.	0.40-0.60	14.00-16.00	.
H-26	0.45-0.55	0.15-0.40	<0.03	<0.03	0.15-0.40	.	3.75-4.50	.	.	0.75-1.25	17.25-19.00	.
H-42	0.55-0.70	0.15-0.40	<0.03	<0.03	0.20-0.45	.	3.75-4.50	.	4.50-5.50	1.75-2.20	5.50-6.75	.
L-2	0.45-1.00	0.10-0.90	<0.03	<0.03	<0.50	.	0.70-1.20	.	<0.25	0.10-0.30	.	.
L-6	0.65-0.75	0.25-0.80	<0.03	<0.03	<0.50	1.25-2.00	0.60-1.20	.	<0.50	.	.	.
M-1	0.78-0.88	0.15-0.40	<0.03	<0.03	0.20-0.50	.	3.50-4.00	.	8.20-9.20	1.00-1.35	1.40-2.10	.
M-2	0.78-1.05	0.15-0.40	<0.03	<0.03	0.20-0.45	.	3.75-4.50	.	4.50-5.50	1.75-2.20	5.50-6.75	.
M-3.1	1.00-1.10	0.15-0.40	<0.03	<0.03	0.20-0.45	.	3.75-4.50	.	4.75-6.50	2.25-2.75	5.00-6.75	.
M-3.2	1.15-1.25	0.15-0.40	<0.03	<0.03	0.20-0.45	.	3.75-4.50	.	4.75-6.50	2.75-3.25	5.00-6.75	.
M-4	1.25-1.40	0.15-0.40	<0.03	<0.03	0.20-0.45	.	3.75-4.75	.	4.25-5.50	3.75-4.50	5.25-6.50	.
M-6	0.75-0.85	0.15-0.40	<0.03	<0.03	0.20-0.45	.	3.75-4.50	11.00-13.00	4.50-5.50	1.30-1.70	3.75-4.75	.
M-7	0.97-1.05	0.15-0.40	<0.03	<0.03	0.20-0.55	.	3.50-4.00	.	8.20-9.20	1.75-2.25	1.40-2.10	.
M-10	0.84-1.05	0.10-0.40	<0.03	<0.03	0.20-0.45	.	3.75-4.50	.	7.75-8.50	1.80-2.20	.	.
M-30	0.75-0.85	0.15-0.40	<0.03	<0.03	0.20-0.45	.	3.50-4.25	4.50-5.50	7.75-9.00	1.00-1.40	1.30-2.30	.
M-33	0.85-0.92	0.15-0.40	<0.03	<0.03	0.25-0.55	.	3.50-4.00	7.75-8.75	9.00-10.00	1.00-1.35	1.30-2.10	.
M-34	0.85-0.92	0.15-0.40	<0.03	<0.03	0.20-0.45	.	3.50-4.00	7.75-8.75	7.75-9.20	1.90-2.30	1.40-2.10	.
M-36	0.80-0.90	0.15-0.40	<0.03	<0.03	0.20-0.45	.	3.75-4.50	7.75-8.75	4.50-5.50	1.75-2.25	5.50-6.50	.
M-41	1.05-1.15	0.20-0.60	<0.03	<0.03	0.15-0.50	.	3.75-4.50	4.75-5.75	3.25-4.25	1.75-2.25	6.25-7.00	.
M-42	1.05-1.15	0.15-0.40	<0.03	<0.03	0.15-0.65	.	3.50-4.25	7.75-8.75	9.00-10.00	0.95-1.35	1.15-1.85	.
M-46	1.22-1.30	0.20-0.40	<0.03	<0.03	0.40-0.65	.	3.70-4.20	7.80-8.80	8.00-8.50	3.00-3.30	1.90-2.20	.
M-48	1.50	3.75	9.00	5.25	3.10	10.0	.
M-52	0.90	4.00	.	4.00	2.00	1.25	.
M-61	1.60	4.00	.	6.50	5.00	12.0	.
M-62	1.30	3.75	.	10.5	2.00	6.25	.
O-1	0.85-1.00	1.00-1.40	<0.03	<0.03	<0.50	.	0.40-0.60	.	.	<0.30	0.40-0.60	.
O-2	0.85-0.95	1.40-1.80	<0.03	<0.03	<0.50	.	<0.35	.	<0.30	<0.30	.	.
O-6	1.25-1.55	0.30-1.10	<0.03	<0.03	0.55-1.50	.	<0.30	.	0.20-0.30	.	.	.
O-7	1.10-1.30	<1.00	<0.03	<0.03	<0.60	.	0.35-0.85	.	<0.30	<0.40	1.00-2.00	.
P-20	0.28-0.40	0.60-1.00	<0.03	<0.03	0.20-0.80	.	1.40-2.00	.	0.30-0.55	.	.	.
P-21	0.18-0.22	0.20-0.40	<0.03	<0.03	0.20-0.40	4.00-4.25	0.20-0.30	.	.	0.15-0.25	Al: 1.05-1.25	.
P-6	0.05-0.15	0.35-0.70	<0.03	<0.03	0.10-0.40	3.25-3.75	1.25-1.75
S-1	0.40-0.55	0.10-0.40	<0.03	<0.03	0.15-1.20	.	1.00-1.80	.	<0.50	0.15-0.30	1.50-3.00	.
S-2	0.40-0.55	0.30-0.50	<0.03	<0.03	0.90-1.20	.	.	.	0.30-0.60	<0.50	.	.
S-4	0.50-0.65	0.60-0.95	<0.03	<0.03	1.75-2.25	.	<0.35	.	.	<0.35	.	.
S-5	0.50-0.65	0.60-1.00	<0.03	<0.03	1.75-2.25	.	<0.35	.	0.20-1.35	<0.35	.	.
S-6	0.40-0.50	1.20-1.50	<0.03	<0.03	2.00-2.50	.	1.20-1.50	.	0.30-0.50	0.20-0.40	.	.
S-7	0.45-0.55	0.20-0.80	<0.03	<0.03	0.20-1.00	.	3.00-3.50	.	1.30-1.80	0.20-0.30*	.	.
T-1	0.65-0.80	0.10-0.40	<0.03	<0.03	0.20-0.40	.	3.75-4.50	.	.	0.90-1.30	17.25-18.25	.
T-15	1.50-1.60	0.15-0.40	<0.03	<0.03	0.15-0.40	.	3.75-5.00	4.75-5.25	<1.00	4.50-5.25	11.75-13.00	.
T-4	0.70-0.80	0.10-0.40	<0.03	<0.03	0.20-0.40	.	3.75-4.50	4.25-5.75	0.40-1.00	0.80-1.20	17.50-19.00	.
T-5	0.75-0.85	0.20-0.40	<0.03	<0.03	0.20-0.40	.	3.75-5.00	7.00-9.50	0.50-1.25	1.80-2.40	17.50-19.00	.
T-6	0.75-0.85	0.20-0.40	<0.03	<0.03	0.20-0.40	.	4.00-4.75	11.00-13.00	0.40-1.00	1.50-2.10	18.50-21.00	.
T-8	0.75-0.85	0.20-0.40	<0.03	<0.03	0.20-0.40	.	3.75-4.50	4.25-5.75	0.40-1.00	1.80-2.40	13.25-14.75	.
W-1	0.70-1.50	0.10-0.40	<0.025	<0.025	0.10-0.40	<0.20	<0.15	.	<0.10	<0.10	<0.15	Cu: <0.20
W-2	0.85-1.50	0.10-0.40	<0.03	<0.03	0.10-0.40	<0.20	<0.15	.	<0.10	0.15-0.35	<0.15	Cu: <0.20
W-5	1.05-1.15	0.10-0.40	<0.03	<0.03	0.10-0.40	<0.20	0.40-0.60	.	<0.10	<0.10	<0.15	Cu: <0.20

Number	C	Mn	P	S	Si	Ni	Cr	Co	Mo	V	W	Other
--------	---	----	---	---	----	----	----	----	----	---	---	-------

**These are specifications,
not samples for sale.**

STAINLESS AND HIGH ALLOY STEEL SPECIFICATIONS

* notes optional chemistry

Number	C	Mn	P	S	Si	Cu	Ni	Cr	Mo	N	Nb	Other
13-8PH	<0.05	<0.20	<0.01	<0.008	<0.10	.	7.50-8.50	12.25-13.25	2.00-2.50	<0.01	.	Al: 0.90-1.35
15-5PH	<0.07	<1.00	<0.04	<0.03	<1.00	2.50-4.50	3.50-5.50	14.00-15.50	.	.	0.15-0.45	
17-4PH	<0.07	<1.00	<0.04	<0.03	<1.00	3.00-5.00	3.00-5.00	15.00-17.50	.	.	0.15-0.45	
201	<0.15	5.5-7.5	<0.060	<0.03	<1.00	.	3.50-5.50	16.00-18.00	.	<0.25	.	
202	<0.15	7.5-10.0	<0.060	<0.03	<1.00	.	4.00-6.00	17.00-19.00	.	<0.25	.	
301	<0.15	<2.00	<0.045	<0.03	<1.00	.	6.00-8.00	16.00-18.00	.	.	.	
302	<0.15	<2.00	<0.045	<0.03	<1.00	.	8.00-10.00	17.00-19.00	.	.	.	
302B	<0.15	<2.00	<0.045	<0.03	2.00-3.00	.	8.00-10.00	17.00-19.00	.	.	.	
303	<0.15	<2.00	<0.20	>0.15	<1.00	.	8.00-10.00	17.00-19.00	<0.60*	.	.	Zr: <0.60*
304	<0.08	<2.00	<0.045	<0.03	<1.00	.	8.00-10.50	18.00-20.00	.	.	.	
304L	<0.03	<2.00	<0.045	<0.03	<1.00	.	8.00-12.00	18.00-20.00	.	.	.	
305	<0.12	<2.00	<0.045	<0.03	<1.00	.	10.00-13.00	17.00-19.00	.	.	.	
308	<0.08	<2.00	<0.045	<0.03	<1.00	.	10.00-12.00	19.00-21.00	.	.	.	
309	<0.20	<2.00	<0.045	<0.03	<1.00	.	12.00-15.00	22.00-24.00	.	.	.	
310	<0.25	<2.00	<0.045	<0.03	<1.50	.	19.00-22.00	24.00-26.00	.	.	.	
314	<0.25	<2.00	<0.045	<0.03	1.50-3.00	.	19.00-22.00	23.00-26.00	.	.	.	
316	<0.08	<2.00	<0.045	<0.03	<1.00	.	10.00-14.00	16.00-18.00	2.00-3.00	.	.	
316	<0.08	<2.00	<0.045	<0.03	<1.00	.	10.00-14.00	16.00-18.00	2.00-3.00	.	.	
316L	<0.03	<2.00	<0.045	<0.03	<1.00	.	10.00-14.00	16.00-18.00	2.00-3.00	.	.	
321	<0.08	<2.00	<0.045	<0.03	<1.00	.	9.00-12.00	17.00-19.00	.	.	.	Ti: >5xC
347	<0.08	<2.00	<0.045	<0.03	<1.00	.	9.00-13.00	17.00-19.00	.	.	>10xC	
348	<0.08	<2.00	<0.045	<0.03	<1.00	.	9.00-13.00	17.00-19.00	.	.	>10xC	Ta: <0.10
384	<0.08	<2.00	<0.045	<0.03	<1.00	.	17.00-19.00	15.00-17.00	.	.	.	
385	<0.08	<2.00	<0.045	<0.03	<1.00	.	14.00-16.00	11.50-13.50	.	.	.	
403	<0.15	<1.00	<0.04	<0.03	<0.50	.	.	11.50-13.00	.	.	.	
405	<0.08	<1.00	<0.04	<0.03	<1.00	.	.	11.50-14.50	.	.	.	Al: 0.10-0.30
409	<0.08	<1.00	<0.04	<0.01	<1.00	.	<0.50	10.50-11.75	.	.	.	Ti: 6\mtC-0.75
410	<0.15	<1.00	<0.04	<0.03	<1.00	.	.	11.50-13.50	.	.	.	
414	<0.15	<1.00	<0.04	<0.03	<1.00	.	1.25-2.50	11.50-13.50	.	.	.	
416	<0.15	<1.25	<0.06	>0.15	<1.00	.	.	12.00-14.00	<0.60*	.	.	Zr: <0.60*
420	>0.15	<1.00	<0.04	<0.03	<1.00	.	.	12.00-14.00	.	.	.	
422	0.20-0.25	<1.00	<0.04	<0.03	<0.75	<0.50	0.50-1.00	11.00-12.50	0.75-1.25	.	.	V: 0.15-0.30
422	continued											W: 0.75-1.25
430	<0.12	<1.00	<0.04	<0.03	<1.00	.	.	16.00-18.00	.	.	.	
430F	<0.12	<1.25	<0.06	>0.15	<1.00	.	.	16.00-18.00	<0.60*	.	.	Zr: <0.60*
431	<0.20	<1.00	<0.04	<0.03	<1.00	.	1.25-2.50	15.00-17.00	.	.	.	
440A	0.60-0.75	<1.00	<0.04	<0.03	<1.00	.	.	16.00-18.00	<0.75	.	.	
440B	0.75-0.95	<1.00	<0.04	<0.03	<1.00	.	.	16.00-18.00	<0.75	.	.	
440C	0.95-1.20	<1.00	<0.04	<0.03	<1.00	.	.	16.00-18.00	<0.75	.	.	
450	<0.05	<1.00	<0.03	<0.03	<1.00	1.25-1.75	5.00-7.00	14.00-16.00	0.50-1.00	.	.	8\mtC
455	<0.05	<0.50	<0.04	<0.03	<0.50	1.50-2.50	7.50-9.50	11.00-12.50	<0.50	.	0.10-0.50	Ti: 0.80-1.40
501	>0.10	<1.00	<0.04	<0.03	<1.00	.	.	4.00-6.00	0.40-0.65	.	.	
502	<0.10	<1.00	<0.04	<0.03	<1.00	.	.	4.00-6.00	0.40-0.65	.	.	
Duplex	<0.05	<3.00	<0.035	<0.03	<1.50	<2.50*	4.00-7.00	18.00-25.00	0.20-5.50	<0.40	.	

These are specifications,
not samples for sale.